

(悪性腫瘍) 臨床情報入力シート

(注意) :複数選択 :単一選択

検査日	()年()月()日	()年()月()日	()年()月()日
	初診	初診	初診
随時尿	蛋白(定性)	-	-
		±	±
		+	+
		++	++
		+++	+++
		++++	++++
	糖(定性)	-	-
		±	±
		+	+
		++	++
		+++	+++
		++++	++++
	潜血(定性)	-	-
		±	±
		+	+
		++	++
		+++	+++
		++++	++++

(悪性腫瘍) 臨床情報入力シート

(注意) : 複数選択 : 単一選択

検査日	()年()月()日	()年()月()日	()年()月()日	
	初診	初診	初診	
血球算定	WBC	() / μ l	() / μ l	() / μ l
	RBC	() 万 / μ l	() 万 / μ l	() 万 / μ l
	Hb	() g/dl	() g/dl	() g/dl
	Ht	() %	() %	() %
	MCV	() fl	() fl	() fl
	MCH	() pg	() pg	() pg
	MCHC	() %	() %	() %
	PLT	() 万 / μ l	() 万 / μ l	() 万 / μ l
Neutro	() %	() %	() %	
Stab	() %	() %	() %	
Seg	() %	() %	() %	
Eosino	() %	() %	() %	
Baso	() %	() %	() %	
Mono	() %	() %	() %	
Lymph	() %	() %	() %	

検査日	()年()月()日	()年()月()日	()年()月()日	
	初診	初診	初診	
凝固・線溶	APTT	() sec	() sec	() sec
	PT	() sec	() sec	() sec
	PT	() %	() %	() %
	PT(INR)	()	()	()
	Fbg	() mg/dl	() mg/dl	() mg/dl

検査日	()年()月()日	()年()月()日	()年()月()日	
	初診	初診	初診	
血清	HCV抗体	+ - 未検査	+ - 未検査	+ - 未検査
	HBs抗原	+ - 未検査	+ - 未検査	+ - 未検査
	HBs抗体	+ - 未検査	+ - 未検査	+ - 未検査
	HBe抗原	+ - 未検査	+ - 未検査	+ - 未検査
	HBe抗体	+ - 未検査	+ - 未検査	+ - 未検査
HbA1c	() %	() %	() %	
CRP	() mg/dl	() mg/dl	() mg/dl	

(悪性腫瘍) 臨床情報入力シート

(注意) : 複数選択 : 単一選択

検査日 ()年()月()日 ()年()月()日 ()年()月()日
初診 初診 初診

生化学	TP () g/dl	() g/dl	() g/dl
	Alb () g/dl	() g/dl	() g/dl
	T.Bil () mg/dl	() mg/dl	() mg/dl
	ZTT () U	() U	() U
	AST(GOT) () IU/l	() IU/l	() IU/l
	ALT(GPT) () IU/l	() IU/l	() IU/l
	LDH () IU/l	() IU/l	() IU/l
	ALP () IU/l	() IU/l	() IU/l
	-GTP () IU/l	() IU/l	() IU/l
	CK () IU/l	() IU/l	() IU/l
	BUN () mg/dl	() mg/dl	() mg/dl
	クレアチニン () mg/dl	() mg/dl	() mg/dl
	UA () mg/dl	() mg/dl	() mg/dl
	Na () mEq/l	() mEq/l	() mEq/l
	K () mEq/l	() mEq/l	() mEq/l
	Cl () mEq/l	() mEq/l	() mEq/l
	Ca () mg/dl	() mg/dl	() mg/dl
	P () mg/dl	() mg/dl	() mg/dl
	Mg () mEq/l	() mEq/l	() mEq/l
	TG () mg/dl	() mg/dl	() mg/dl
	TC () mg/dl	() mg/dl	() mg/dl
	HDLC () mg/dl	() mg/dl	() mg/dl
	BS () mg/dl	() mg/dl	() mg/dl
	食後 () 時間	食後 () 時間	食後 () 時間
	Amy () IU/l	() IU/l	() IU/l
	血清総IgE () IU/ml	() IU/ml	() IU/ml
	スギ特異IgE 陽性 陰性	陽性 陰性	陽性 陰性
	ダニ特異IgE 陽性 陰性	陽性 陰性	陽性 陰性
	ハウスダスト特異IgE 陽性 陰性	陽性 陰性	陽性 陰性

(悪性腫瘍) 臨床情報入力シート

(注意) :複数選択 :単一選択
* 複数治療がある場合は、別シートをご利用下さい。

外科的治療 なし あり 不明
「あり」の場合、
手術日 ()年 ()月 ()日(頃)

切除の肉眼的根治性

根治的手術(完全切除または治癒手術)
 非根治的手術(非完全切除または非治癒手術)
 不明(判定不能手術)

<input type="checkbox"/> 術前補助療法あり	この場合、該当ページと、癌組織のページに記入下さい。
<input type="checkbox"/> 手術単独	この場合、癌組織のページに記入下さい。
<input type="checkbox"/> 術後補助療法あり	この場合、該当ページと、癌組織のページに記入下さい。
<input type="checkbox"/> 術前後補助療法あり	この場合、該当ページと、癌組織のページに記入下さい。

(悪性腫瘍) 臨床情報入力シート

(注意) :複数選択 :単一選択
 *複数治療がある場合は、別シートをご利用下さい。

化学療法

なし あり 不明
 「あり」の場合、
 治療開始日 ()年 ()月 ()日(頃)
 化学療法の種類
 非切除化学療法 術前化学療法 術後化学療法
 再発(再々発を含む)に対する治療 不明

投与方法

静脈投与
 動注
 塞栓術併用の有無 なし あり 不明
 経口投与
 不明

使用薬剤(多剤併用の場合、複数を選択して下さい)

アルキル剤 イホマイド(IFM) エスキノン エンドキサン
 テスパミン ニドラン メルファラン(MP)
 プロカルバジン マブリン(BUS)
 その他()
 代謝拮抗剤 5-FU ジェムザール ユーエフティー(UFT)
 メトトレキサート(MTX) ティーエスワン(TS-1)
 フルツロン フトラフル ミフロール
 キロサイド、サイトサル(Ara-C) ペブレオ(PEP)
 サンラビン(BH-AC) ロイケリン(6-MP) ハイドレア(HU)
 その他()
 抗癌抗生物質 アクラシノン アドリアシン カルセド
 テラルピシン、ピルルピシン プレオ ベクレオ
 マイトマイシンC(MMC) ファルモルピシン
 スマンクス ノバントロン
 ダウノルピシン(DNR) ミトキサントロン(MIT)
 アクラルピシン(ACR) エピルピシン(EPI)
 その他()
 白金製剤 ランダ、プリプラチン(CDDP) パラプラチン アクプラ
 その他()
 微小管阻害薬 オンコピン フィルデシン タキソール
 タキソテール ナベルピン(ピノレルピン)
 エクザール
 その他()
 チロシンキナーゼ阻害薬
 グリベック(STI571)
 その他()
 トポイソメラーゼ阻害薬
 ベプシド、ラステット(VP-16) カンプト、トポテシン
 ハイカムチン ペラゾリン
 その他()
 インターフェロン製剤
 インターフェロン・アルファ インターフェロン・ベーター
 その他()
 分子標的薬 イレッサ ハーセプチン
 その他()
 遺伝子組換え抗体製剤
 リツキサン その他()
 分化誘導薬
 全トランス型レチノイン酸(ATRA)
 ヒ素 その他()
 血管新生抑制薬
 サリドマイド その他()

(悪性腫瘍) 臨床情報入力シート

分類不能	アイソボリン	ロイコボリン	
	L-アスパラキナーゼ	プレオマイシン	
	その他()		
その他()			
(同時)併用療法の有無			
放射線療法	なし	あり	不明
	*「あり」の場合、放射線療法の項目を記入下さい		
内分泌療法	なし	あり	不明
	*「あり」の場合、内分泌療法の項目を記入下さい		
ステロイド製剤	なし	あり	不明
	*造血器腫瘍のみ記入下さい		
効果			
RECISTによる判定可能(画像)	なし	あり	不明
「あり」の場合、			
測定可能標的病変	完全奏功(CR):完全消失 部分奏功(PR):30%以上減少 安定(SD) 進行(PD):20%以上増加 不明		
非標的病変	完全奏功(CR):すべての非標的病変の消失かつ腫瘍マーカーの正常化 不完全奏功(IR)もしくは安定(SD):CR/PD以外 進行(PD):増悪 不明		
新病変出現	あり なし 不明		
組織学的判定可能(病理)	なし	あり	不明
部位			
肺			
Ef0(無効)	癌細胞、癌組織に治療による変性、壊死等の形態学的変化を認めない場合		
Ef1a(ごく軽度)	癌の約2/3以上が生存しうると判断される癌細胞で占められている場合		
Ef1b(軽度)	癌の約1/3以上、2/3未満に生存しうると判断される癌細胞で認められている場合		
Ef2(中等度)	癌の約1/3未満に生存しうると判断される癌細胞が残存している場合		
Ef3(著功)	癌細胞が全く認められないか、残存していても生存しえないと判断される場合		
食道、大腸・直腸、乳房			
Grade 0	癌細胞・癌組織に治療効果を認めない		
Grade 1a	癌の約2/3以上が生存しうると判断される癌細胞で占められている場合		
Grade 1b	癌の約1/3以上、2/3未満に生存しうると判断される癌細胞で認められている場合		
Grade 2	癌の約1/3未満に生存しうると判断される癌細胞が残存している場合		
Grade 3	癌細胞が全く認められないか、残存していても生存しえないと判断される場合		
子宮頸部、子宮体部、卵巣			
Grade 0	無効:治療による変性、壊死などの障害をほとんど認めない場合		
Grade 1a	ごく軽度の効果:がんの約1/3未満にがん細胞の変性、壊死などを認める場合		
Grade 1b	軽度の効果:がんの約1/3以上2/3未満にがん細胞の変性、壊死などを認める場合		

(悪性腫瘍) 臨床情報入力シート

- Grade 2 かなりの効果: がんの約2/3以上に著明な変性、壊死ならびに融解、消失などを認める場合
- Grade 3 著効: がん全体が壊死に陥っているか、または融解、消失した場合

肝臓, 前立腺

- Grade 0 viableな癌細胞群が組織断片で病巣面積の全体を占める
- Grade 1 non-viableな癌細胞群が組織断片で病巣面積の全体の1/2未満
- Grade 2 non-viableな癌細胞群が組織断片で病巣面積の全体を1/2以上
- Grade 3 non-viableな癌細胞群のみを認める、癌細胞が認められない
- Grade X artifactなどにより判定が不能

(前立腺のみ)腫瘍マーカー(PSA)による評価 なし あり 不明
「あり」の場合、

- CR 異常前値が基準値に復した場合
- PR 異常前値が50%以上改善するが、基準値にまでは復さなかった場合
- NC 異常前値が50%未満の改善か、25%未満の増悪を呈した場合
- PD 異常前値が25%以上増加するか、異常前値が異常値になった場合

(造血器のみ)血液学的効果判定 なし あり 不明
「あり」の場合、

- CR 骨髄の芽球5%以内、かつ骨髄・末梢血正常
- PR 骨髄の芽球5-10%、かつ骨髄・末梢血正常
- NC PR未満の効果
- PD 骨髄芽球が治療に反し増加

(造血器のみ)CT、Gaシンチ及びPET等による判定(画像) なし あり 不明
「あり」の場合、

- 測定可能標的病変 完全奏功(CR): 完全消失
部分奏功(PR): 30%以上減少
安定(SD)
進行(PD): 20%以上増加
不明
- 非標的病変 完全奏功(CR): すべての非標的病変の消失かつ腫瘍マーカーの正常化
不完全奏功(IR)もしくは安定(SD): CR/PD以外
進行(PD): 増悪
不明
- 新病変出現 あり
なし
不明

(造血器のみ)腫瘍マーカー(血清IL2R、M蛋白等)による評価 なし あり 不明
「あり」の場合、

- CR 異常前値が基準値に復した場合
- PR 異常値が50%以上改善するが、基準値にまでは復さなかった場合
- NC 異常値が50%未満の改善か、25%未満の増悪を呈した場合
- PD 異常前値が25%以上増加するか、異常前値が異常になった場合

判定不能 なし あり

副作用の有無 なし あり 不明

注) (NCI-CTC ver.2.0準拠)

grade1:軽症 / 軽度, grade2:中等症 / 中等度, grade3:重症 / 高度
grade4:生命を脅かす / 活動不能にいたる, grade5:死亡

「あり」の場合、有害事象の種類を選択しgradeを選択下さい。

アレルギー / 免疫

(悪性腫瘍) 臨床情報入力シート

アレルギー反応	grade1	grade2	grade3	grade4	grade5
過敏症	grade1	grade2	grade3	grade4	grade5
アレルギー性鼻炎	grade1	grade2	grade3	grade4	grade5
自己免疫反応	grade1	grade2	grade3	grade4	grade5
血清病	grade1	grade2	grade3	grade4	grade5
血管炎	grade1	grade2	grade3	grade4	grade5
その他()					
聴覚器 / 聴力					
外耳道炎	grade1	grade2	grade3	grade4	grade5
内耳 - 聴力低下	grade1	grade2	grade3	grade4	grade5
中耳 - 聴力低下	grade1	grade2	grade3	grade4	grade5
その他()					
血液 / 骨髄					
骨髄細胞密度低下	grade1	grade2	grade3	grade4	grade5
CD4陽性細胞数減少	grade1	grade2	grade3	grade4	grade5
ハプトグロビン減少	grade1	grade2	grade3	grade4	grade5
Hb減少	grade1	grade2	grade3	grade4	grade5
溶血	grade1	grade2	grade3	grade4	grade5
白血球減少	grade1	grade2	grade3	grade4	grade5
好中球 / 顆粒球減少	grade1	grade2	grade3	grade4	grade5
血小板減少	grade1	grade2	grade3	grade4	grade5
その他()					
心血管系 (不整脈)					
房室ブロック	grade1	grade2	grade3	grade4	grade5
不整脈 / リズム障害	grade1	grade2	grade3	grade4	grade5
心悸亢進	grade1	grade2	grade3	grade4	grade5
QT延長	grade1	grade2	grade3	grade4	grade5
洞性徐脈	grade1	grade2	grade3	grade4	grade5
洞性頻脈	grade1	grade2	grade3	grade4	grade5
上室性不整脈	grade1	grade2	grade3	grade4	grade5
心室性不整脈	grade1	grade2	grade3	grade4	grade5
その他()					
心血管系 (一般)					
急性心血管漏出症候群	grade1	grade2	grade3	grade4	grade5
心筋虚血 / 梗塞	grade1	grade2	grade3	grade4	grade5
左心不全	grade1	grade2	grade3	grade4	grade5
浮腫	grade1	grade2	grade3	grade4	grade5
高血圧	grade1	grade2	grade3	grade4	grade5
低血圧	grade1	grade2	grade3	grade4	grade5
心筋炎	grade1	grade2	grade3	grade4	grade5
心膜炎	grade1	grade2	grade3	grade4	grade5
末梢動脈虚血	grade1	grade2	grade3	grade4	grade5
静脈炎	grade1	grade2	grade3	grade4	grade5
血栓症	grade1	grade2	grade3	grade4	grade5
その他()					
凝固					
播種性血管内凝固(DIC)	grade1	grade2	grade3	grade4	grade5
血栓性微小血管症(TTP, HUS)	grade1	grade2	grade3	grade4	grade5
Fibrinogen低下	grade1	grade2	grade3	grade4	grade5
PTT延長	grade1	grade2	grade3	grade4	grade5
その他()					
全身症状					
疲労	grade1	grade2	grade3	grade4	grade5
発熱	grade1	grade2	grade3	grade4	grade5
悪寒 / 戦慄	grade1	grade2	grade3	grade4	grade5
発汗	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

体重増加	grade1	grade2	grade3	grade4	grade5
体重減少	grade1	grade2	grade3	grade4	grade5
その他()					
皮膚科 / 皮膚					
脱毛	grade1	grade2	grade3	grade4	grade5
出血斑	grade1	grade2	grade3	grade4	grade5
皮膚紅斑	grade1	grade2	grade3	grade4	grade5
顔面紅潮	grade1	grade2	grade3	grade4	grade5
皮膚炎	grade1	grade2	grade3	grade4	grade5
注射部位の反応	grade1	grade2	grade3	grade4	grade5
爪の変化	grade1	grade2	grade3	grade4	grade5
光線過敏症	grade1	grade2	grade3	grade4	grade5
色素異常	grade1	grade2	grade3	grade4	grade5
痒症	grade1	grade2	grade3	grade4	grade5
放射線皮膚炎	grade1	grade2	grade3	grade4	grade5
発疹	grade1	grade2	grade3	grade4	grade5
蕁麻疹	grade1	grade2	grade3	grade4	grade5
創症 - 感染	grade1	grade2	grade3	grade4	grade5
創離開	grade1	grade2	grade3	grade4	grade5
その他()					
内分泌					
クッシング様外観	grade1	grade2	grade3	grade4	grade5
中心性の肥満	grade1	grade2	grade3	grade4	grade5
ほてり	grade1	grade2	grade3	grade4	grade5
男性の女性化(女性化乳房)	grade1	grade2	grade3	grade4	grade5
女性の男性化	grade1	grade2	grade3	grade4	grade5
甲状腺機能低下	grade1	grade2	grade3	grade4	grade5
SIADH	grade1	grade2	grade3	grade4	grade5
その他()					
消化器系					
食欲不振	grade1	grade2	grade3	grade4	grade5
腹水	grade1	grade2	grade3	grade4	grade5
口内炎	grade1	grade2	grade3	grade4	grade5
味覚障害	grade1	grade2	grade3	grade4	grade5
胸やけ	grade1	grade2	grade3	grade4	grade5
食道炎	grade1	grade2	grade3	grade4	grade5
嚥下困難	grade1	grade2	grade3	grade4	grade5
悪心	grade1	grade2	grade3	grade4	grade5
嘔吐	grade1	grade2	grade3	grade4	grade5
胃潰瘍	grade1	grade2	grade3	grade4	grade5
胃炎	grade1	grade2	grade3	grade4	grade5
十二指腸潰瘍	grade1	grade2	grade3	grade4	grade5
腸管瘻	grade1	grade2	grade3	grade4	grade5
下血	grade1	grade2	grade3	grade4	grade5
血便	grade1	grade2	grade3	grade4	grade5
粘膜炎	grade1	grade2	grade3	grade4	grade5
咽頭炎	grade1	grade2	grade3	grade4	grade5
膵炎	grade1	grade2	grade3	grade4	grade5
大腸炎	grade1	grade2	grade3	grade4	grade5
直腸炎	grade1	grade2	grade3	grade4	grade5
盲腸炎	grade1	grade2	grade3	grade4	grade5
便秘	grade1	grade2	grade3	grade4	grade5
下痢	grade1	grade2	grade3	grade4	grade5
その他()					
出血					
中枢神経系の出血	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

鼻出血	grade1	grade2	grade3	grade4	grade5
吐血	grade1	grade2	grade3	grade4	grade5
血尿	grade1	grade2	grade3	grade4	grade5
喀血	grade1	grade2	grade3	grade4	grade5
消化管出血	grade1	grade2	grade3	grade4	grade5
直腸出血	grade1	grade2	grade3	grade4	grade5
膣出血	grade1	grade2	grade3	grade4	grade5
その他()					
肝臓					
肝機能異常	grade1	grade2	grade3	grade4	grade5
肝腫大	grade1	grade2	grade3	grade4	grade5
低アルブミン血症	grade1	grade2	grade3	grade4	grade5
肝不全	grade1	grade2	grade3	grade4	grade5
その他()					
感染 / 発熱性好中球減少					
カテーテル感染	grade1	grade2	grade3	grade4	grade5
発熱性好中球減少	grade1	grade2	grade3	grade4	grade5
好中球減少を伴う感染	grade1	grade2	grade3	grade4	grade5
その他()					
リンパ管系					
リンパ浮腫	grade1	grade2	grade3	grade4	grade5
その他()					
代謝 / 検査					
アシドーシス	grade1	grade2	grade3	grade4	grade5
アルカローシス	grade1	grade2	grade3	grade4	grade5
高カルシウム血症	grade1	grade2	grade3	grade4	grade5
高コレステロール血症	grade1	grade2	grade3	grade4	grade5
高トリグリセリド血症	grade1	grade2	grade3	grade4	grade5
高血糖	grade1	grade2	grade3	grade4	grade5
低血糖	grade1	grade2	grade3	grade4	grade5
高アミラーゼ血症	grade1	grade2	grade3	grade4	grade5
高尿酸血症	grade1	grade2	grade3	grade4	grade5
高カリウム血症	grade1	grade2	grade3	grade4	grade5
高ナトリウム血症	grade1	grade2	grade3	grade4	grade5
高マグネシウム血症	grade1	grade2	grade3	grade4	grade5
低カルシウム血症	grade1	grade2	grade3	grade4	grade5
低カリウム血症	grade1	grade2	grade3	grade4	grade5
低ナトリウム血症	grade1	grade2	grade3	grade4	grade5
低マグネシウム血症	grade1	grade2	grade3	grade4	grade5
腫瘍融解症候群	grade1	grade2	grade3	grade4	grade5
その他()					
筋骨格系					
関節痛	grade1	grade2	grade3	grade4	grade5
関節炎	grade1	grade2	grade3	grade4	grade5
筋炎	grade1	grade2	grade3	grade4	grade5
筋肉痛	grade1	grade2	grade3	grade4	grade5
筋脱力	grade1	grade2	grade3	grade4	grade5
骨壊死	grade1	grade2	grade3	grade4	grade5
その他()					
神経学					
髄膜炎	grade1	grade2	grade3	grade4	grade5
神経根炎	grade1	grade2	grade3	grade4	grade5
運動失調	grade1	grade2	grade3	grade4	grade5
中枢神経系脳血管虚血	grade1	grade2	grade3	grade4	grade5
認知障害	grade1	grade2	grade3	grade4	grade5
意識低下	grade1	grade2	grade3	grade4	grade5
錯乱	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

妄想	grade1	grade2	grade3	grade4	grade5
めまい / ふらつき	grade1	grade2	grade3	grade4	grade5
失語症	grade1	grade2	grade3	grade4	grade5
錐体外路運動 / 附随意運動					
	grade1	grade2	grade3	grade4	grade5
幻覚	grade1	grade2	grade3	grade4	grade5
頭痛	grade1	grade2	grade3	grade4	grade5
不眠症	grade1	grade2	grade3	grade4	grade5
白質脳症	grade1	grade2	grade3	grade4	grade5
記憶障害	grade1	grade2	grade3	grade4	grade5
気分変動	grade1	grade2	grade3	grade4	grade5
神経障害 - 脳神経	grade1	grade2	grade3	grade4	grade5
神経障害 - 知覚	grade1	grade2	grade3	grade4	grade5
神経障害 - 運動	grade1	grade2	grade3	grade4	grade5
眼振	grade1	grade2	grade3	grade4	grade5
痙攣発作	grade1	grade2	grade3	grade4	grade5
錐体路障害	grade1	grade2	grade3	grade4	grade5
失神	grade1	grade2	grade3	grade4	grade5
振戦	grade1	grade2	grade3	grade4	grade5
その他 ()					
眼球 / 視覚					
白内障	grade1	grade2	grade3	grade4	grade5
結膜炎	grade1	grade2	grade3	grade4	grade5
緑内障	grade1	grade2	grade3	grade4	grade5
目の乾燥	grade1	grade2	grade3	grade4	grade5
角膜炎	grade1	grade2	grade3	grade4	grade5
なみだ目	grade1	grade2	grade3	grade4	grade5
かすみ目	grade1	grade2	grade3	grade4	grade5
復視	grade1	grade2	grade3	grade4	grade5
飛蚊症	grade1	grade2	grade3	grade4	grade5
夜盲症	grade1	grade2	grade3	grade4	grade5
羞明	grade1	grade2	grade3	grade4	grade5
その他 ()					
疼痛					
腹痛	grade1	grade2	grade3	grade4	grade5
関節痛	grade1	grade2	grade3	grade4	grade5
骨痛	grade1	grade2	grade3	grade4	grade5
胸痛	grade1	grade2	grade3	grade4	grade5
月経困難	grade1	grade2	grade3	grade4	grade5
性交痛	grade1	grade2	grade3	grade4	grade5
耳痛	grade1	grade2	grade3	grade4	grade5
頭痛	grade1	grade2	grade3	grade4	grade5
筋肉痛	grade1	grade2	grade3	grade4	grade5
肝臓痛	grade1	grade2	grade3	grade4	grade5
神経痛	grade1	grade2	grade3	grade4	grade5
放射線による痛み	grade1	grade2	grade3	grade4	grade5
骨盤痛	grade1	grade2	grade3	grade4	grade5
胸膜炎痛	grade1	grade2	grade3	grade4	grade5
直腸痛	grade1	grade2	grade3	grade4	grade5
腫瘍痛	grade1	grade2	grade3	grade4	grade5
その他 ()					
肺					
成人呼吸促迫症候群	grade1	grade2	grade3	grade4	grade5
無呼吸	grade1	grade2	grade3	grade4	grade5
咳	grade1	grade2	grade3	grade4	grade5
呼吸困難 / 息切れ	grade1	grade2	grade3	grade4	grade5
しゃっくり	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

低酸素血症	grade1	grade2	grade3	grade4	grade5
胸水	grade1	grade2	grade3	grade4	grade5
気胸	grade1	grade2	grade3	grade4	grade5
肺線維症	grade1	grade2	grade3	grade4	grade5
嚔声	grade1	grade2	grade3	grade4	grade5
その他()					
腎 / 泌尿生殖器					
膀胱痙攣	grade1	grade2	grade3	grade4	grade5
排尿痛	grade1	grade2	grade3	grade4	grade5
生殖器尿瘻	grade1	grade2	grade3	grade4	grade5
ヘモグロビン尿症	grade1	grade2	grade3	grade4	grade5
失禁	grade1	grade2	grade3	grade4	grade5
蛋白尿	grade1	grade2	grade3	grade4	grade5
腎機能低下	grade1	grade2	grade3	grade4	grade5
腎不全	grade1	grade2	grade3	grade4	grade5
尿管閉塞	grade1	grade2	grade3	grade4	grade5
頻尿	grade1	grade2	grade3	grade4	grade5
残尿	grade1	grade2	grade3	grade4	grade5
その他()					
二次性悪性腫瘍					
転移以外の悪性腫瘍	grade1	grade2	grade3	grade4	grade5
その他()					
性 / 生殖機能					
勃起障害	grade1	grade2	grade3	grade4	grade5
不妊症	grade1	grade2	grade3	grade4	grade5
月経不順	grade1	grade2	grade3	grade4	grade5
性欲低下	grade1	grade2	grade3	grade4	grade5
その他()					
症候群					
腫瘍フレア	grade1	grade2	grade3	grade4	grade5
腫瘍融解症候群	grade1	grade2	grade3	grade4	grade5
尿中電解質喪失症候群	grade1	grade2	grade3	grade4	grade5
その他()					
その他()					

(悪性腫瘍) 臨床情報入力シート

(注意) : 複数選択 : 単一選択
 * 複数治療がある場合は、別シートをご利用下さい。

内分泌(ホルモン)療法 なし あり 不明

「あり」の場合、

外科的去勢術(観血のホルモン療法) なし あり 不明
 薬物療法(持続ホルモン療法) なし あり 不明

「あり」の場合、

治療開始日 ()年 ()月 ()日(頃)

内分泌療法の種類

非切除内分泌療法 術前内分泌療法 術後内分泌療法
 再発(再々発を含む)に対する治療 その他

使用薬剤

エストラサイト オダイン カソデックス ゾラデックス リュープリン
 プロスタール, プロスタット, ルトラール プロセキソール ホンパン
 アフェマ アロマシン アリミデックス フェアストン ヒスロンH
 ノルバデックス タスオミン
 その他()

投与方法

持続的 間欠的 不明

(同時)併用療法の有無

化学療法 なし あり 不明
 * 「あり」の場合、化学療法の項目を記入下さい

放射線療法 なし あり 不明
 * 「あり」の場合、放射線療法の項目を記入下さい

効果

RECISTによる判定可能(画像) なし あり 不明
 「あり」の場合、

測定可能標的病変 完全奏功(CR): 完全消失
 部分奏功(PR): 30%以上減少
 安定(SD)
 進行(PD): 20%以上増加
 不明

非標的病変 完全奏功(CR): すべての非標的病変の消失かつ腫瘍
 マーカの正常化
 不完全奏功(IR)もしくは安定(SD): CR/PD以外
 進行(PD): 増悪
 不明

新病変出現 あり
 なし
 不明

組織学的判定可能(病理) なし あり 不明
 部位

乳房, 子宮体部

Grade 0 癌細胞・癌組織に治療効果を認めない
 Grade 1a 癌の約2/3以上が生存しようと判断される癌細胞で占められている場合
 Grade 1b 癌の約1/3以上、2/3未満に生存しようと判断される癌細胞で認められている場合
 Grade 2 癌の約1/3未満に生存しようと判断される癌細胞が残存している場合
 Grade 3 癌細胞が全く認められないか、残存していても生存しえないと判断される場合

前立腺

Grade 0 viableな癌細胞群が組織断片で病巣面積の全体を占める
 Grade 1 non-viableな癌細胞群が組織断片で病巣面積の全体の1/2未満
 Grade 2 non-viableな癌細胞群が組織断片で病巣面積の全体を1/2以上
 Grade 3 non-viableな癌細胞群のみを認める、癌細胞が認められない

(悪性腫瘍) 臨床情報入力シート

Grade X artifactなどにより判定が不能
 (前立腺のみ)腫瘍マーカー(PSA)による評価 なし あり 不明
 「あり」の場合、

CR 異常前値か基準値に復した場合
 PR 異常前値が50%以上改善するが、基準値にまでは復さなかった場合
 NC 異常前値が50%未満の改善か、25%未満の増悪を呈した場合
 PD 異常前値が25%以上増加するか、異常前値が異常値になった場合
 判定不能 なし あり

副作用の有無 なし あり 不明

注) (NCI-CTC ver.2.0準拠)

grade1:軽症 / 軽度, grade2:中等症 / 中等度, grade3:重症 / 高度

grade4:生命を脅かす / 活動不能にいたる, grade5:死亡

「あり」の場合、有害事象の種類を選択しgradeを選択下さい。

アレルギー / 免疫

アレルギー反応	grade1	grade2	grade3	grade4	grade5
過敏症	grade1	grade2	grade3	grade4	grade5
アレルギー性鼻炎	grade1	grade2	grade3	grade4	grade5
自己免疫反応	grade1	grade2	grade3	grade4	grade5
血清病	grade1	grade2	grade3	grade4	grade5
血管炎	grade1	grade2	grade3	grade4	grade5
その他()					

聴覚器 / 聴力

外耳道炎	grade1	grade2	grade3	grade4	grade5
内耳 - 聴力低下	grade1	grade2	grade3	grade4	grade5
中耳 - 聴力低下	grade1	grade2	grade3	grade4	grade5
その他()					

血液 / 骨髄

骨髄細胞密度低下	grade1	grade2	grade3	grade4	grade5
CD4陽性細胞数減少	grade1	grade2	grade3	grade4	grade5
ハプトグロビン減少	grade1	grade2	grade3	grade4	grade5
Hb減少	grade1	grade2	grade3	grade4	grade5
溶血	grade1	grade2	grade3	grade4	grade5
白血球減少	grade1	grade2	grade3	grade4	grade5
好中球 / 顆粒球減少	grade1	grade2	grade3	grade4	grade5
血小板減少	grade1	grade2	grade3	grade4	grade5
その他()					

心血管系 (不整脈)

房室ブロック	grade1	grade2	grade3	grade4	grade5
不整脈 / リズム障害	grade1	grade2	grade3	grade4	grade5
心悸亢進	grade1	grade2	grade3	grade4	grade5
QT延長	grade1	grade2	grade3	grade4	grade5
洞性徐脈	grade1	grade2	grade3	grade4	grade5
洞性頻脈	grade1	grade2	grade3	grade4	grade5
上室性不整脈	grade1	grade2	grade3	grade4	grade5
心室性不整脈	grade1	grade2	grade3	grade4	grade5
その他()					

心血管系 (一般)

急性心血管漏出症候群	grade1	grade2	grade3	grade4	grade5
心筋虚血 / 梗塞	grade1	grade2	grade3	grade4	grade5
左心不全	grade1	grade2	grade3	grade4	grade5
浮腫	grade1	grade2	grade3	grade4	grade5
高血圧	grade1	grade2	grade3	grade4	grade5
低血圧	grade1	grade2	grade3	grade4	grade5
心筋炎	grade1	grade2	grade3	grade4	grade5
心膜炎	grade1	grade2	grade3	grade4	grade5
末梢動脈虚血	grade1	grade2	grade3	grade4	grade5
静脈炎	grade1	grade2	grade3	grade4	grade5
血栓症	grade1	grade2	grade3	grade4	grade5
その他()					

凝固

(悪性腫瘍) 臨床情報入力シート

播種性血管内凝固(DIC)	grade1	grade2	grade3	grade4	grade5
血栓性微小血管症(TTP, HUS)					
Fibrinogen低下	grade1	grade2	grade3	grade4	grade5
PTT延長	grade1	grade2	grade3	grade4	grade5
その他()					
全身症状					
疲労	grade1	grade2	grade3	grade4	grade5
発熱	grade1	grade2	grade3	grade4	grade5
悪寒 / 戦慄	grade1	grade2	grade3	grade4	grade5
発汗	grade1	grade2	grade3	grade4	grade5
体重増加	grade1	grade2	grade3	grade4	grade5
体重減少	grade1	grade2	grade3	grade4	grade5
その他()					
皮膚科 / 皮膚					
脱毛	grade1	grade2	grade3	grade4	grade5
出血斑	grade1	grade2	grade3	grade4	grade5
皮膚紅斑	grade1	grade2	grade3	grade4	grade5
顔面紅潮	grade1	grade2	grade3	grade4	grade5
皮膚炎	grade1	grade2	grade3	grade4	grade5
注射部位の反応	grade1	grade2	grade3	grade4	grade5
爪の変化	grade1	grade2	grade3	grade4	grade5
光線過敏症	grade1	grade2	grade3	grade4	grade5
色素異常	grade1	grade2	grade3	grade4	grade5
痒症	grade1	grade2	grade3	grade4	grade5
放射線皮膚炎	grade1	grade2	grade3	grade4	grade5
発疹	grade1	grade2	grade3	grade4	grade5
蕁麻疹	grade1	grade2	grade3	grade4	grade5
創症 - 感染	grade1	grade2	grade3	grade4	grade5
創離開	grade1	grade2	grade3	grade4	grade5
その他()					
内分泌					
クッシング様外観	grade1	grade2	grade3	grade4	grade5
中心性の肥満	grade1	grade2	grade3	grade4	grade5
ほてり	grade1	grade2	grade3	grade4	grade5
男性の女性化(女性化乳房)					
女性の男性化	grade1	grade2	grade3	grade4	grade5
甲状腺機能低下	grade1	grade2	grade3	grade4	grade5
SIADH	grade1	grade2	grade3	grade4	grade5
その他()					
消化器系					
食欲不振	grade1	grade2	grade3	grade4	grade5
腹水	grade1	grade2	grade3	grade4	grade5
口内炎	grade1	grade2	grade3	grade4	grade5
味覚障害	grade1	grade2	grade3	grade4	grade5
胸やけ	grade1	grade2	grade3	grade4	grade5
食道炎	grade1	grade2	grade3	grade4	grade5
嚥下困難	grade1	grade2	grade3	grade4	grade5
悪心	grade1	grade2	grade3	grade4	grade5
嘔吐	grade1	grade2	grade3	grade4	grade5
胃潰瘍	grade1	grade2	grade3	grade4	grade5
胃炎	grade1	grade2	grade3	grade4	grade5
十二指腸潰瘍	grade1	grade2	grade3	grade4	grade5
腸管瘻	grade1	grade2	grade3	grade4	grade5
下血	grade1	grade2	grade3	grade4	grade5
血便	grade1	grade2	grade3	grade4	grade5
粘膜炎	grade1	grade2	grade3	grade4	grade5
咽頭炎	grade1	grade2	grade3	grade4	grade5
脾炎	grade1	grade2	grade3	grade4	grade5
大腸炎	grade1	grade2	grade3	grade4	grade5
直腸炎	grade1	grade2	grade3	grade4	grade5
盲腸炎	grade1	grade2	grade3	grade4	grade5
便秘	grade1	grade2	grade3	grade4	grade5
下痢	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

その他()					
出血					
中枢神経系の出血	grade1	grade2	grade3	grade4	grade5
鼻出血	grade1	grade2	grade3	grade4	grade5
吐血	grade1	grade2	grade3	grade4	grade5
血尿	grade1	grade2	grade3	grade4	grade5
喀血	grade1	grade2	grade3	grade4	grade5
消化管出血	grade1	grade2	grade3	grade4	grade5
直腸出血	grade1	grade2	grade3	grade4	grade5
膣出血	grade1	grade2	grade3	grade4	grade5
その他()					
肝臓					
肝機能異常	grade1	grade2	grade3	grade4	grade5
肝腫大	grade1	grade2	grade3	grade4	grade5
低アルブミン血症	grade1	grade2	grade3	grade4	grade5
肝不全	grade1	grade2	grade3	grade4	grade5
その他()					
感染 / 発熱性好中球減少					
カテーテル感染	grade1	grade2	grade3	grade4	grade5
発熱性好中球減少	grade1	grade2	grade3	grade4	grade5
好中球減少を伴う感染	grade1	grade2	grade3	grade4	grade5
その他()					
リンパ管系					
リンパ浮腫	grade1	grade2	grade3	grade4	grade5
その他()					
代謝 / 検査					
アシドーシス	grade1	grade2	grade3	grade4	grade5
アルカローシス	grade1	grade2	grade3	grade4	grade5
高カルシウム血症	grade1	grade2	grade3	grade4	grade5
高コレステロール血症	grade1	grade2	grade3	grade4	grade5
高トリグリセリド血症	grade1	grade2	grade3	grade4	grade5
高血糖	grade1	grade2	grade3	grade4	grade5
低血糖	grade1	grade2	grade3	grade4	grade5
高アミラーゼ血症	grade1	grade2	grade3	grade4	grade5
高尿酸血症	grade1	grade2	grade3	grade4	grade5
高カリウム血症	grade1	grade2	grade3	grade4	grade5
高ナトリウム血症	grade1	grade2	grade3	grade4	grade5
高マグネシウム血症	grade1	grade2	grade3	grade4	grade5
低カルシウム血症	grade1	grade2	grade3	grade4	grade5
低カリウム血症	grade1	grade2	grade3	grade4	grade5
低ナトリウム血症	grade1	grade2	grade3	grade4	grade5
低マグネシウム血症	grade1	grade2	grade3	grade4	grade5
腫瘍融解症候群	grade1	grade2	grade3	grade4	grade5
その他()					
筋骨格系					
関節痛	grade1	grade2	grade3	grade4	grade5
関節炎	grade1	grade2	grade3	grade4	grade5
筋炎	grade1	grade2	grade3	grade4	grade5
筋肉痛	grade1	grade2	grade3	grade4	grade5
筋脱力	grade1	grade2	grade3	grade4	grade5
骨壊死	grade1	grade2	grade3	grade4	grade5
その他()					
神経学					
髄膜炎	grade1	grade2	grade3	grade4	grade5
神経根炎	grade1	grade2	grade3	grade4	grade5
運動失調	grade1	grade2	grade3	grade4	grade5
中枢神経系脳血管虚血	grade1	grade2	grade3	grade4	grade5
認知障害	grade1	grade2	grade3	grade4	grade5
意識低下	grade1	grade2	grade3	grade4	grade5
錯乱	grade1	grade2	grade3	grade4	grade5
妄想	grade1	grade2	grade3	grade4	grade5
めまい / ふらつき	grade1	grade2	grade3	grade4	grade5
失語症	grade1	grade2	grade3	grade4	grade5
錐体外路運動 / 附随意運動	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

幻覚	grade1	grade2	grade3	grade4	grade5
頭痛	grade1	grade2	grade3	grade4	grade5
不眠症	grade1	grade2	grade3	grade4	grade5
白質脳症	grade1	grade2	grade3	grade4	grade5
記憶障害	grade1	grade2	grade3	grade4	grade5
気分変動	grade1	grade2	grade3	grade4	grade5
神経障害 - 脳神経	grade1	grade2	grade3	grade4	grade5
神経障害 - 知覚	grade1	grade2	grade3	grade4	grade5
神経障害 - 運動	grade1	grade2	grade3	grade4	grade5
眼振	grade1	grade2	grade3	grade4	grade5
痙攣発作	grade1	grade2	grade3	grade4	grade5
錐体路障害	grade1	grade2	grade3	grade4	grade5
失神	grade1	grade2	grade3	grade4	grade5
振戦	grade1	grade2	grade3	grade4	grade5
その他()					
眼球 / 視覚					
白内障	grade1	grade2	grade3	grade4	grade5
結膜炎	grade1	grade2	grade3	grade4	grade5
緑内障	grade1	grade2	grade3	grade4	grade5
目の乾燥	grade1	grade2	grade3	grade4	grade5
角膜炎	grade1	grade2	grade3	grade4	grade5
なみだ目	grade1	grade2	grade3	grade4	grade5
かすみ目	grade1	grade2	grade3	grade4	grade5
復視	grade1	grade2	grade3	grade4	grade5
飛蚊症	grade1	grade2	grade3	grade4	grade5
夜盲症	grade1	grade2	grade3	grade4	grade5
羞明	grade1	grade2	grade3	grade4	grade5
その他()					
疼痛					
腹痛	grade1	grade2	grade3	grade4	grade5
関節痛	grade1	grade2	grade3	grade4	grade5
骨痛	grade1	grade2	grade3	grade4	grade5
胸痛	grade1	grade2	grade3	grade4	grade5
月経困難	grade1	grade2	grade3	grade4	grade5
性交痛	grade1	grade2	grade3	grade4	grade5
耳痛	grade1	grade2	grade3	grade4	grade5
頭痛	grade1	grade2	grade3	grade4	grade5
筋肉痛	grade1	grade2	grade3	grade4	grade5
肝臓痛	grade1	grade2	grade3	grade4	grade5
神経痛	grade1	grade2	grade3	grade4	grade5
放射線による痛み	grade1	grade2	grade3	grade4	grade5
骨盤痛	grade1	grade2	grade3	grade4	grade5
胸膜炎痛	grade1	grade2	grade3	grade4	grade5
直腸痛	grade1	grade2	grade3	grade4	grade5
腫瘍痛	grade1	grade2	grade3	grade4	grade5
その他()					
肺					
成人呼吸促迫症候群	grade1	grade2	grade3	grade4	grade5
無呼吸	grade1	grade2	grade3	grade4	grade5
咳	grade1	grade2	grade3	grade4	grade5
呼吸困難 / 息切れ	grade1	grade2	grade3	grade4	grade5
しゃっくり	grade1	grade2	grade3	grade4	grade5
低酸素血症	grade1	grade2	grade3	grade4	grade5
胸水	grade1	grade2	grade3	grade4	grade5
気胸	grade1	grade2	grade3	grade4	grade5
肺線維症	grade1	grade2	grade3	grade4	grade5
嚙声	grade1	grade2	grade3	grade4	grade5
その他()					
腎 / 泌尿生殖器					
膀胱痙攣	grade1	grade2	grade3	grade4	grade5
排尿痛	grade1	grade2	grade3	grade4	grade5
生殖器尿瘻	grade1	grade2	grade3	grade4	grade5
ヘモグロビン尿症	grade1	grade2	grade3	grade4	grade5
失禁	grade1	grade2	grade3	grade4	grade5
蛋白尿	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

腎機能低下	grade1	grade2	grade3	grade4	grade5
腎不全	grade1	grade2	grade3	grade4	grade5
尿管閉塞	grade1	grade2	grade3	grade4	grade5
頻尿	grade1	grade2	grade3	grade4	grade5
残尿	grade1	grade2	grade3	grade4	grade5
その他()					
二次性悪性腫瘍					
転移以外の悪性腫瘍	grade1	grade2	grade3	grade4	grade5
その他()					
性 / 生殖機能					
勃起障害	grade1	grade2	grade3	grade4	grade5
不妊症	grade1	grade2	grade3	grade4	grade5
月経不順	grade1	grade2	grade3	grade4	grade5
性欲低下	grade1	grade2	grade3	grade4	grade5
その他()					
症候群					
腫瘍フレア	grade1	grade2	grade3	grade4	grade5
腫瘍融解症候群	grade1	grade2	grade3	grade4	grade5
尿中電解質喪失症候群	grade1	grade2	grade3	grade4	grade5
その他()					
その他()					

(悪性腫瘍) 臨床情報入力シート

(注意) : 複数選択 : 単一選択
 * 複数治療がある場合は、別シートをご利用下さい。

放射線療法

なし あり 不明

「あり」の場合、

治療開始日 ()年 ()月 ()日(頃)

放射線療法の種類

非切除放射線治療 術前放射線治療 術後放射線治療
 術中放射線治療 再発(再々発を含む)に対する治療 その他

線源

コバルト60
 リニアック X線エネルギー()MV 電子線 ()
 ベータトロン
 マイクロトロン
 サイクロトロン
 密封小線源()
 その他()

照射野

肺癌	原発巣照射 鎖骨上照射	肺門部照射 転移部照射	縦隔部照射
食道癌	頸部照射 転移部照射	局所照射	縦隔照射
胃癌	局所照射	転移部照射	
大腸・直腸癌	局所照射	全骨盤照射	転移部照射
肝癌	局所照射	転移部照射	
膵癌	局所照射	転移部照射	
胆嚢・胆管癌	局所照射	転移部照射	
前立腺癌	前立腺部照射	全骨盤照射	転移部照射
乳癌	局所照射 転移部照射	乳腺照射 腋窩照射	頸部照射
子宮頸癌	局所照射 転移部照射	大動脈周囲照射	全骨盤照射
子宮体癌	局所照射 転移部照射	大動脈周囲照射	全骨盤照射
卵巣癌	局所照射 転移部照射	大動脈周囲照射	全骨盤照射
造血器腫瘍	腫瘍部照射	頭蓋内照射	

面積 ()cm × ()cm 不明
 深度 ()cm 不明

照射法

外照射

照射方向数() 門数()門
 総照射量()Gy 照射回数()回 照射期間()日

腔内照射

総照射量()Gy 照射回数()回 照射期間()日

組織内照射(高線量率照射)

総照射量()Gy 照射回数()回 照射期間()日

組織内照射(低線量率照射)

総照射量()Gy 照射期間()時間

組織内照射(永久埋込型)

総照射量()Gy

その他()

総照射量()Gy 照射回数()回 照射期間()日

(同時)併用療法の有無

化学療法 なし あり 不明

*「あり」の場合、化学療法の項目を記入下さい

内分泌療法 なし あり 不明

*「あり」の場合、内分泌療法の項目を記入下さい

(悪性腫瘍) 臨床情報入力シート

免疫療法 なし あり 不明 *造血器腫瘍のみ記入下さい
 *「あり」の場合、内分泌療法の項目を記入下さい

効果	RECISTによる判定可能(画像)	なし	あり	不明
「あり」の場合、	測定可能標的病変	完全奏功(CR): 完全消失 部分奏功(PR): 30%以上減少 安定(SD) 進行(PD): 20%以上増加 不明		
	非標的病変	完全奏功(CR): すべての非標的病変の消失かつ腫瘍マーカーの正常化 不完全奏功(IR)もしくは安定(SD): CR/PD以外 進行(PD): 増悪 不明		
	新病変出現	あり なし 不明		
組織学的判定可能(病理)	部位	なし	あり	不明
	肺			
	Ef0(無効)	癌細胞、癌組織に治療による変性、壊死等の形態学的変化を認めない場合		
	Ef1a(ごく軽度)	癌の約2/3以上が生存しうると判断される癌細胞で占められている場合		
	Ef1b(軽度)	癌の約1/3以上、2/3未満に生存しうると判断される癌細胞で認められている場合		
	Ef2(中等度)	癌の約1/3未満に生存しうると判断される癌細胞が残存している場合		
	Ef3(著功)	癌細胞が全く認められないか、残存していても生存しえないと判断される場合		
	食道, 大腸・直腸, 乳房			
	Grade 0	癌細胞・癌組織に治療効果を認めない		
	Grade 1a	癌の約2/3以上が生存しうると判断される癌細胞で占められている場合		
	Grade 1b	癌の約1/3以上、2/3未満に生存しうると判断される癌細胞で認められている場合		
	Grade 2	癌の約1/3未満に生存しうると判断される癌細胞が残存している場合		
	Grade 3	癌細胞が全く認められないか、残存していても生存しえないと判断される場合		
	子宮頸部, 子宮体部, 卵巣			
	Grade 0	無効: 治療による変性、壊死などの障害をほとんど認めない場合		
	Grade 1a	ごく軽度の効果: がんの約1/3未満にがん細胞の変性、壊死などを認める場合		
	Grade 1b	軽度の効果: がんの約1/3以上2/3未満にがん細胞の変性、壊死などを認める場合		
	Grade 2	かなりの効果: がんの約2/3以上に著明な変性、壊死ならびに融解、消失などを認める場合		
	Grade 3	著効: がん全体が壊死に陥っているか、または融解、消失した場合		
	肝臓, 前立腺			
	Grade 0	viableな癌細胞群が組織断片で病巣面積の全体を占める		
	Grade 1	non-viableな癌細胞群が組織断片で病巣面積の全体の1/2未満		
	Grade 2	non-viableな癌細胞群が組織断片で病巣面積の全体を1/2以上		
	Grade 3	non-viableな癌細胞群のみを認める、癌細胞が認められない		
	Grade X	artifactなどにより判定が不能		

(悪性腫瘍) 臨床情報入力シート

(前立腺のみ)腫瘍マーカー(PSA)による評価	なし	あり	不明		
「あり」の場合、					
CR	異常前値が基準値に復した場合				
PR	異常前値が50%以上改善するが、基準値にまでは復さなかった場合				
NC	異常前値が50%未満の改善か、25%未満の増悪を呈した場合				
PD	異常前値が25%以上増加するか、異常前値が異常値になった場合				
(造血器のみ)CT,Gaシンチ及びPET等による判定(画像)	なし	あり	不明		
「あり」の場合、					
測定可能標的病変	完全奏功(CR):完全消失 部分奏功(PR):30%以上減少 安定(SD) 進行(PD):20%以上増加 不明				
非標的病変	完全奏功(CR):すべての非標的病変の消失かつ腫瘍マーカーの正常化 不完全奏功(IR)もしくは安定(SD):CR/PD以外 進行(PD):増悪 不明				
新病変出現	あり なし 不明				
(造血器のみ)腫瘍マーカー(血清IL2R, M蛋白等)による評価	なし	あり	不明		
「あり」の場合、					
CR	異常前値が基準値に復した場合				
PR	異常前値が50%以上改善するが、基準値にまでは復さなかった場合				
NC	異常前値が50%未満の改善か、25%未満の増悪を呈した場合				
PD	異常前値が25%以上増加するか、異常前値が異常値になった場合				
判定不能	なし	あり			
副作用の有無	なし	あり	不明		
注) (NCI-CTC ver.2.0準拠)					
grade1:軽症 / 軽度, grade2:中等症 / 中等度, grade3:重症 / 高度					
grade4:生命を脅かす / 活動不能にいたる, grade5:死亡					
「あり」の場合、有害事象の種類を選択しgradeを選択下さい。					
アレルギー / 免疫					
アレルギー反応	grade1	grade2	grade3	grade4	grade5
過敏症	grade1	grade2	grade3	grade4	grade5
アレルギー性鼻炎	grade1	grade2	grade3	grade4	grade5
自己免疫反応	grade1	grade2	grade3	grade4	grade5
血清病	grade1	grade2	grade3	grade4	grade5
血管炎	grade1	grade2	grade3	grade4	grade5
その他()					
聴覚器 / 聴力					
外耳道炎	grade1	grade2	grade3	grade4	grade5
内耳 - 聴力低下	grade1	grade2	grade3	grade4	grade5
中耳 - 聴力低下	grade1	grade2	grade3	grade4	grade5
その他()					
血液 / 骨髄					
骨髄細胞密度低下	grade1	grade2	grade3	grade4	grade5
CD4陽性細胞数減少	grade1	grade2	grade3	grade4	grade5
ハプトグロビン減少	grade1	grade2	grade3	grade4	grade5
Hb減少	grade1	grade2	grade3	grade4	grade5
溶血	grade1	grade2	grade3	grade4	grade5
白血球減少	grade1	grade2	grade3	grade4	grade5
好中球 / 顆粒球減少	grade1	grade2	grade3	grade4	grade5
血小板減少	grade1	grade2	grade3	grade4	grade5
その他()					
心血管系 (不整脈)					

(悪性腫瘍) 臨床情報入力シート

房室ブロック	grade1	grade2	grade3	grade4	grade5
不整脈 / リズム障害	grade1	grade2	grade3	grade4	grade5
心悸亢進	grade1	grade2	grade3	grade4	grade5
QT延長	grade1	grade2	grade3	grade4	grade5
洞性徐脈	grade1	grade2	grade3	grade4	grade5
洞性頻脈	grade1	grade2	grade3	grade4	grade5
上室性不整脈	grade1	grade2	grade3	grade4	grade5
心室性不整脈	grade1	grade2	grade3	grade4	grade5
その他()					
心血管系(一般)					
急性心血管漏出症候群	grade1	grade2	grade3	grade4	grade5
心筋虚血 / 梗塞	grade1	grade2	grade3	grade4	grade5
左心不全	grade1	grade2	grade3	grade4	grade5
浮腫	grade1	grade2	grade3	grade4	grade5
高血圧	grade1	grade2	grade3	grade4	grade5
低血圧	grade1	grade2	grade3	grade4	grade5
心筋炎	grade1	grade2	grade3	grade4	grade5
心膜炎	grade1	grade2	grade3	grade4	grade5
末梢動脈虚血	grade1	grade2	grade3	grade4	grade5
静脈炎	grade1	grade2	grade3	grade4	grade5
血栓症	grade1	grade2	grade3	grade4	grade5
その他()					
凝固					
播種性血管内凝固(DIC)	grade1	grade2	grade3	grade4	grade5
血栓性微小血管症(TTP, HUS)	grade1	grade2	grade3	grade4	grade5
Fibrinogen低下	grade1	grade2	grade3	grade4	grade5
PTT延長	grade1	grade2	grade3	grade4	grade5
その他()					
全身症状					
疲労	grade1	grade2	grade3	grade4	grade5
発熱	grade1	grade2	grade3	grade4	grade5
悪寒 / 戦慄	grade1	grade2	grade3	grade4	grade5
発汗	grade1	grade2	grade3	grade4	grade5
体重増加	grade1	grade2	grade3	grade4	grade5
体重減少	grade1	grade2	grade3	grade4	grade5
その他()					
皮膚科 / 皮膚					
脱毛	grade1	grade2	grade3	grade4	grade5
出血斑	grade1	grade2	grade3	grade4	grade5
皮膚紅斑	grade1	grade2	grade3	grade4	grade5
顔面紅潮	grade1	grade2	grade3	grade4	grade5
皮膚炎	grade1	grade2	grade3	grade4	grade5
注射部位の反応	grade1	grade2	grade3	grade4	grade5
爪の変化	grade1	grade2	grade3	grade4	grade5
光線過敏症	grade1	grade2	grade3	grade4	grade5
色素異常	grade1	grade2	grade3	grade4	grade5
痒症	grade1	grade2	grade3	grade4	grade5
放射線皮膚炎	grade1	grade2	grade3	grade4	grade5
発疹	grade1	grade2	grade3	grade4	grade5
蕁麻疹	grade1	grade2	grade3	grade4	grade5
創症 - 感染	grade1	grade2	grade3	grade4	grade5
創離開	grade1	grade2	grade3	grade4	grade5
その他()					
内分泌					
クッシング様外観	grade1	grade2	grade3	grade4	grade5
中心性の肥満	grade1	grade2	grade3	grade4	grade5
ほてり	grade1	grade2	grade3	grade4	grade5
男性の女性化(女性化乳房)	grade1	grade2	grade3	grade4	grade5
女性の男性化	grade1	grade2	grade3	grade4	grade5
甲状腺機能低下	grade1	grade2	grade3	grade4	grade5
SIADH	grade1	grade2	grade3	grade4	grade5
その他()					

(悪性腫瘍) 臨床情報入力シート

消化器系					
食欲不振	grade1	grade2	grade3	grade4	grade5
腹水	grade1	grade2	grade3	grade4	grade5
口内炎	grade1	grade2	grade3	grade4	grade5
味覚障害	grade1	grade2	grade3	grade4	grade5
胸やけ	grade1	grade2	grade3	grade4	grade5
食道炎	grade1	grade2	grade3	grade4	grade5
嚥下困難	grade1	grade2	grade3	grade4	grade5
悪心	grade1	grade2	grade3	grade4	grade5
嘔吐	grade1	grade2	grade3	grade4	grade5
胃潰瘍	grade1	grade2	grade3	grade4	grade5
胃炎	grade1	grade2	grade3	grade4	grade5
十二指腸潰瘍	grade1	grade2	grade3	grade4	grade5
腸管瘻	grade1	grade2	grade3	grade4	grade5
下血	grade1	grade2	grade3	grade4	grade5
血便	grade1	grade2	grade3	grade4	grade5
粘膜炎	grade1	grade2	grade3	grade4	grade5
咽頭炎	grade1	grade2	grade3	grade4	grade5
膵炎	grade1	grade2	grade3	grade4	grade5
大腸炎	grade1	grade2	grade3	grade4	grade5
直腸炎	grade1	grade2	grade3	grade4	grade5
盲腸炎	grade1	grade2	grade3	grade4	grade5
便秘	grade1	grade2	grade3	grade4	grade5
下痢	grade1	grade2	grade3	grade4	grade5
その他()					
出血					
中枢神経系の出血	grade1	grade2	grade3	grade4	grade5
鼻出血	grade1	grade2	grade3	grade4	grade5
吐血	grade1	grade2	grade3	grade4	grade5
血尿	grade1	grade2	grade3	grade4	grade5
喀血	grade1	grade2	grade3	grade4	grade5
消化管出血	grade1	grade2	grade3	grade4	grade5
直腸出血	grade1	grade2	grade3	grade4	grade5
膣出血	grade1	grade2	grade3	grade4	grade5
その他()					
肝臓					
肝機能異常	grade1	grade2	grade3	grade4	grade5
肝腫大	grade1	grade2	grade3	grade4	grade5
低アルブミン血症	grade1	grade2	grade3	grade4	grade5
肝不全	grade1	grade2	grade3	grade4	grade5
その他()					
感染 / 発熱性好中球減少					
カテーテル感染	grade1	grade2	grade3	grade4	grade5
発熱性好中球減少	grade1	grade2	grade3	grade4	grade5
好中球減少を伴う感染	grade1	grade2	grade3	grade4	grade5
その他()					
リンパ管系					
リンパ浮腫	grade1	grade2	grade3	grade4	grade5
その他()					
代謝 / 検査					
アシドーシス	grade1	grade2	grade3	grade4	grade5
アルカローシス	grade1	grade2	grade3	grade4	grade5
高カルシウム血症	grade1	grade2	grade3	grade4	grade5
高コレステロール血症	grade1	grade2	grade3	grade4	grade5
高トリグリセリド血症	grade1	grade2	grade3	grade4	grade5
高血糖	grade1	grade2	grade3	grade4	grade5
低血糖	grade1	grade2	grade3	grade4	grade5
高アマラーゼ血症	grade1	grade2	grade3	grade4	grade5
高尿酸血症	grade1	grade2	grade3	grade4	grade5
高カリウム血症	grade1	grade2	grade3	grade4	grade5
高ナトリウム血症	grade1	grade2	grade3	grade4	grade5
高マグネシウム血症	grade1	grade2	grade3	grade4	grade5
低カルシウム血症	grade1	grade2	grade3	grade4	grade5
低カリウム血症	grade1	grade2	grade3	grade4	grade5
低ナトリウム血症	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

低マグネシウム血症	grade1	grade2	grade3	grade4	grade5
腫瘍融解症候群	grade1	grade2	grade3	grade4	grade5
その他()					
筋骨格系					
関節痛	grade1	grade2	grade3	grade4	grade5
関節炎	grade1	grade2	grade3	grade4	grade5
筋炎	grade1	grade2	grade3	grade4	grade5
筋肉痛	grade1	grade2	grade3	grade4	grade5
筋脱力	grade1	grade2	grade3	grade4	grade5
骨壊死	grade1	grade2	grade3	grade4	grade5
その他()					
神経学					
髄膜炎	grade1	grade2	grade3	grade4	grade5
神経根炎	grade1	grade2	grade3	grade4	grade5
運動失調	grade1	grade2	grade3	grade4	grade5
中枢神経系脳血管虚血	grade1	grade2	grade3	grade4	grade5
認知障害	grade1	grade2	grade3	grade4	grade5
意識低下	grade1	grade2	grade3	grade4	grade5
錯乱	grade1	grade2	grade3	grade4	grade5
妄想	grade1	grade2	grade3	grade4	grade5
めまい / ふらつき	grade1	grade2	grade3	grade4	grade5
失語症	grade1	grade2	grade3	grade4	grade5
錐体外路運動 / 附随意運動	grade1	grade2	grade3	grade4	grade5
幻覚	grade1	grade2	grade3	grade4	grade5
頭痛	grade1	grade2	grade3	grade4	grade5
不眠症	grade1	grade2	grade3	grade4	grade5
白質脳症	grade1	grade2	grade3	grade4	grade5
記憶障害	grade1	grade2	grade3	grade4	grade5
気分変動	grade1	grade2	grade3	grade4	grade5
神経障害 - 脳神経	grade1	grade2	grade3	grade4	grade5
神経障害 - 知覚	grade1	grade2	grade3	grade4	grade5
神経障害 - 運動	grade1	grade2	grade3	grade4	grade5
眼振	grade1	grade2	grade3	grade4	grade5
痙攣発作	grade1	grade2	grade3	grade4	grade5
錐体路障害	grade1	grade2	grade3	grade4	grade5
失神	grade1	grade2	grade3	grade4	grade5
振戦	grade1	grade2	grade3	grade4	grade5
その他()					
眼球 / 視覚					
白内障	grade1	grade2	grade3	grade4	grade5
結膜炎	grade1	grade2	grade3	grade4	grade5
緑内障	grade1	grade2	grade3	grade4	grade5
目の乾燥	grade1	grade2	grade3	grade4	grade5
角膜炎	grade1	grade2	grade3	grade4	grade5
なみだ目	grade1	grade2	grade3	grade4	grade5
かすみ目	grade1	grade2	grade3	grade4	grade5
復視	grade1	grade2	grade3	grade4	grade5
飛蚊症	grade1	grade2	grade3	grade4	grade5
夜盲症	grade1	grade2	grade3	grade4	grade5
羞明	grade1	grade2	grade3	grade4	grade5
その他()					
疼痛					
腹痛	grade1	grade2	grade3	grade4	grade5
関節痛	grade1	grade2	grade3	grade4	grade5
骨痛	grade1	grade2	grade3	grade4	grade5
胸痛	grade1	grade2	grade3	grade4	grade5
月経困難	grade1	grade2	grade3	grade4	grade5
性交痛	grade1	grade2	grade3	grade4	grade5
耳痛	grade1	grade2	grade3	grade4	grade5
頭痛	grade1	grade2	grade3	grade4	grade5
筋肉痛	grade1	grade2	grade3	grade4	grade5
肝臓痛	grade1	grade2	grade3	grade4	grade5
神経痛	grade1	grade2	grade3	grade4	grade5
放射線による痛み	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

骨盤痛	grade1	grade2	grade3	grade4	grade5
胸膜炎痛	grade1	grade2	grade3	grade4	grade5
直腸痛	grade1	grade2	grade3	grade4	grade5
腫瘍痛	grade1	grade2	grade3	grade4	grade5
その他()					
肺					
成人呼吸促迫症候群	grade1	grade2	grade3	grade4	grade5
無呼吸	grade1	grade2	grade3	grade4	grade5
咳	grade1	grade2	grade3	grade4	grade5
呼吸困難 / 息切れ	grade1	grade2	grade3	grade4	grade5
しゃっくり	grade1	grade2	grade3	grade4	grade5
低酸素血症	grade1	grade2	grade3	grade4	grade5
胸水	grade1	grade2	grade3	grade4	grade5
気胸	grade1	grade2	grade3	grade4	grade5
肺線維症	grade1	grade2	grade3	grade4	grade5
嘔声	grade1	grade2	grade3	grade4	grade5
その他()					
腎 / 泌尿生殖器					
膀胱痙攣	grade1	grade2	grade3	grade4	grade5
排尿痛	grade1	grade2	grade3	grade4	grade5
生殖器尿瘻	grade1	grade2	grade3	grade4	grade5
ヘモグロビン尿症	grade1	grade2	grade3	grade4	grade5
失禁	grade1	grade2	grade3	grade4	grade5
蛋白尿	grade1	grade2	grade3	grade4	grade5
腎機能低下	grade1	grade2	grade3	grade4	grade5
腎不全	grade1	grade2	grade3	grade4	grade5
尿管閉塞	grade1	grade2	grade3	grade4	grade5
頻尿	grade1	grade2	grade3	grade4	grade5
残尿	grade1	grade2	grade3	grade4	grade5
その他()					
二次性悪性腫瘍					
転移以外の悪性腫瘍	grade1	grade2	grade3	grade4	grade5
その他()					
性 / 生殖機能					
勃起障害	grade1	grade2	grade3	grade4	grade5
不妊症	grade1	grade2	grade3	grade4	grade5
月経不順	grade1	grade2	grade3	grade4	grade5
性欲低下	grade1	grade2	grade3	grade4	grade5
その他()					
症候群					
腫瘍フレア	grade1	grade2	grade3	grade4	grade5
腫瘍融解症候群	grade1	grade2	grade3	grade4	grade5
尿中電解質喪失症候群	grade1	grade2	grade3	grade4	grade5
その他()					
その他()					
遅発性副作用の有無	なし	あり	不明		
注) RTOG/EORTC遅発性放射線反応					
放射線治療開始90日を越えて発症					
「あり」の場合、有害事象の種類を選択しgradeを選択下さい。					
膀胱					
grade0: 軽度の上皮畏縮、軽度の毛細血管拡張、顕微鏡的血尿					
grade1: 中等度の頻尿、全体的な毛細血管拡張、間欠的な肉眼的な血尿					
grade2: 重症の頻尿と排尿障害、高度の全体的な毛細血管拡張、頻繁な肉眼的な血尿、膀胱容積減少					
grade3: 壊死 / 膀胱萎縮、重症の出血性膀胱炎					
骨					
grade0: 症状がなく成長遅延を来さない骨密度低下					
grade1: 中等度の疼痛・圧痛、成長遅延あり、不規則な骨硬化像					
grade2: 重度の疼痛・圧痛、完全な骨成長停止、濃度の濃い骨硬化像					
grade3: 壊死 / 特発性骨折					
脳					
grade0: 軽度頭痛、軽度の傾眠傾向					
grade1: 中等度の頭痛、高度の傾眠傾向					
grade2: 重症の頭痛、重症のCNS機能障害					
grade3: 痙攣、麻痺、昏睡					

(悪性腫瘍) 臨床情報入力シート

食道

- grade0: 軽度の線維症、固形物の嚥下が軽度困難、嚥下時痛なし
- grade1: 固形物を正常に飲み込めない、半固形物は飲み込める
- grade2: 重度の線維症、流動食しか飲み込めない、嚥下時の疼痛があってもよい
- grade3: 壊死 / 穿孔、瘻孔

眼

- grade0: 症状がない白内障、軽度の角膜潰瘍または角膜炎
- grade1: 症状がある白内障、中等症の角膜潰瘍、軽症の網膜症または緑内障
- grade2: 重症の角膜炎、重症の網膜症または網膜剥離、重症の緑内障
- grade3: 全眼球炎、盲目

心臓

- grade0: 軽度の症状、一過性T波逆転とST変化、洞性頻脈>100(安静時)
- grade1: 中等症の労作性狭心症、軽症の心膜炎、心拡大なし、異常T波とST変化、QRSの減高
- grade2: 重症の狭心症、心嚢液貯留、収縮性心外膜炎、中等症の心不全、心拡大、ECG異常
- grade3: 心タンポナーゼ / 重症の心不全、重症の心外膜炎

関節

- grade0: 軽度の関節硬直、軽度の運動制限
- grade1: 中等症の関節硬直、間欠的または中等症の関節痛、中等度の運動制限
- grade2: 重症の関節硬直、重度の運動制限を伴う疼痛
- grade3: 壊死 / 完全固定

腎

- grade0: 一過性のアルブミン尿症、高血圧なし、軽度の腎機能障害、
25<BUN<=35, 1.5<Cre<=2, 75%<=Ccr
- grade1: 持続的中等症のアルブミン尿症、中等度の腎機能障害、35<BUN<=60,
2<Cre<=4, 50<Ccr<=75%
- grade2: 重症のアルブミン尿症、重症の高血圧、持続的な貧血、重症の腎不全、
60<BUN, 4<Cre, Ccr<50%
- grade3: 悪性高血圧、尿毒症性昏睡、BUN>100mg/dl

咽頭

- grade0: 嚙声、軽度の披裂浮腫
- grade1: 中等症の披裂浮腫、軟骨炎
- grade2: 重症の浮腫、重症の軟骨炎
- grade3: 壊死

肝

- grade0: 軽度のだるさ、悪心、消化不良、軽度の肝機能異常
- grade1: 中等度の症状あり、中等度の肝機能異常、血清アルブミンは正常
- grade2: 活動不能を招く肝不全、著明な肝機能異常、血清アルブミン低下、
浮腫または腹水
- grade3: 肝壊死、肝性昏睡または脳症

肺

- grade0: 症状がないまたは軽度の咳、軽度のX線異常陰影
- grade1: 中等度の症状のある肺線維症または肺臓炎、軽度の発熱、斑状の
X線異常陰影
- grade2: 重症の症状のある肺線維症または肺臓炎、濃いX線異常陰影
- grade3: 重症の呼吸不全、持続的酸素吸入、補助換気

粘膜

- grade0: 軽度の萎縮および乾燥
- grade1: 中等症の萎縮および毛細血管拡張、粘膜の減少
- grade2: 完全な乾燥を伴う著明な萎縮、高度の毛細血管拡張
- grade3: 潰瘍

唾液腺

- grade0: 軽度の口腔乾燥
- grade1: 中等症の口腔乾燥、刺激に対する反応不良
- grade2: 口内の完全な乾燥、刺激に反応しない
- grade3: 線維症

皮膚

- grade0: 軽度の萎縮、色素変化、一部脱毛
- grade1: 斑状萎縮、中等度の毛細血管拡張、完全脱毛
- grade2: 著明な萎縮、著明な毛細血管拡張
- grade3: 潰瘍

小腸 / 大腸

- grade0: 軽症の下痢、軽度の差し込み、一日排便回数 < = 日常の5倍、
わずかな直腸分泌物または出血

(悪性腫瘍) 臨床情報入力シート

grade1: 中等症の下痢および仙痛、一日排便回数 > 日常の5倍、
多量の直腸分泌物または間欠的な出血

grade2: 閉塞または出血

grade3: 壊死 / 穿孔、瘻孔形成

脊髄

grade0: 軽症のLhermitte症候群

grade1: 重症のLhermitte症候群

grade2: 治療部位または下位の脊髄レベルにおける他覚的な神経学的所見

grade3: 単麻痺、対麻痺、四肢麻痺

皮下組織

grade0: 軽度の硬結(線維化)、皮下脂肪消失

grade1: 中等度の線維化だが症状なし、直線的測定で < 10%の短縮を伴う
照射部位の拘縮

grade2: 重度の硬結と皮下組織の喪失、直線的測定で > 10%の短縮を伴う
照射部位の拘縮

grade3: 壊死

その他()

grade0: 軽症

grade1: 中等症

grade2: 重症

grade3: 生命を脅かすまたは活動不能

(悪性腫瘍) 臨床情報入力シート

(注意) :複数選択 :単一選択
 *複数治療がある場合は、別シートをご利用下さい。

免疫療法	なし	あり	不明
	「あり」の場合、		
	治療開始日 ()年 ()月 ()日(頃)		
	使用薬剤		
	ピシバニール(OK432)	クレスチン	レンチナン
	イムシスト, BCG	ソニフィラン	
	その他()		
効果	RECISTによる判定可能(画像)		
	なし	あり	不明
	「あり」の場合、		
	測定可能標的	完全奏功(CR):完全消失 部分奏功(PR):30%以上減少 安定(SD) 進行(PD):20%以上増加 不明	
	非標的病変	完全奏功(CR):すべての非標的病変の消失かつ腫瘍マーカーの正常化 不完全奏功(IR)もしくは安定(SD):CR/PD以外 進行(PD):増悪 不明	
	新病変出現	あり なし 不明	
	組織学的判定可能(病理)	なし	あり
	部位	あり	不明
	肺		
	Ef0(無効)	癌細胞、癌組織に治療による変性、壊死等の形態学的変化を認めない場合	
	Ef1a(ごく軽度)	癌の約2/3以上が生存しうると判断される癌細胞で占められている場合	
	Ef1b(軽度)	癌の約1/3以上、2/3未満に生存しうると判断される癌細胞で認められている場合	
	Ef2(中等度)	癌の約1/3未満に生存しうると判断される癌細胞が残存している場合	
	Ef3(著功)	癌細胞が全く認められないか、残存していても生存しえないと判断される場合	
	食道, 大腸・直腸, 乳房		
	Grade 0	癌細胞・癌組織に治療効果を認めない	
	Grade 1a	癌の約2/3以上が生存しうると判断される癌細胞で占められている場合	
	Grade 1b	癌の約1/3以上、2/3未満に生存しうると判断される癌細胞で認められている場合	
	Grade 2	癌の約1/3未満に生存しうると判断される癌細胞が残存している場合	
	Grade 3	癌細胞が全く認められないか、残存していても生存しえないと判断される場合	
	子宮頸部, 子宮体部, 卵巣		
	Grade 0	無効:治療による変性、壊死などの障害をほとんど認めない場合	
	Grade 1a	ごく軽度の効果:がんの約1/3未満にがん細胞の変性、壊死などを認める場合	
	Grade 1b	軽度の効果:がんの約1/3以上2/3未満にがん細胞の変性、壊死などを認める場合	
	Grade 2	かなりの効果:がんの約2/3以上に著明な変性、壊死ならびに融解、消失などを認める場合	
	Grade 3	著効:がん全体が壊死に陥っているか、または融解、消失した	

(悪性腫瘍) 臨床情報入力シート

	場合				
肝臓, 前立腺	Grade 0	viableな癌細胞群が組織断片で病巣面積の全体を占める			
	Grade 1	non-viableな癌細胞群が組織断片で病巣面積の全体の1/2未満			
	Grade 2	non-viableな癌細胞群が組織断片で病巣面積の全体を1/2以上			
	Grade 3	non-viableな癌細胞群のみを認める、癌細胞が認められない			
	Grade X	artifactなどにより判定が不能			
(前立腺のみ)腫瘍マーカー(PSA)による評価		なし	あり	不明	
「あり」の場合、	CR	異常前値が基準値に復した場合			
	PR	異常前値が50%以上改善するが、基準値にまでは復さなかった場合			
	NC	異常前値が50%未満の改善か、25%未満の増悪を呈した場合			
	PD	異常前値が25%以上増加するか、異常前値が異常値になった場合			
(造血器のみ)CT,Gaシンチ及びPET等による判定(画像)		なし	あり	不明	
「あり」の場合、	測定可能標的病変	完全奏功(CR): 完全消失 部分奏功(PR): 30%以上減少 安定(SD) 進行(PD): 20%以上増加 不明			
	非標的病変	完全奏功(CR): すべての非標的病変の消失かつ腫瘍マーカーの正常化 不完全奏功(IR)もしくは安定(SD): CR/PD以外 進行(PD): 増悪 不明			
	新病変出現	あり なし 不明			
(造血器のみ)腫瘍マーカー(血清IL2R, M蛋白等)による		なし	あり	不明	
「あり」の場合、	CR	異常前値が基準値に復した場合			
	PR	異常前値が50%以上改善するが、基準値にまでは復さなかった場合			
	NC	異常前値が50%未満の改善か、25%未満の増悪を呈した場合			
	PD	異常前値が25%以上増加するか、異常前値が異常値になった場合			
	判定不能	なし	あり		
副作用の有無		なし	あり	不明	
注) (NCI-CTC ver.2.0準拠)					
	grade1:	軽症 / 軽度, grade2:中等症 / 中等度, grade3:重症 / 高度			
	grade4:	生命を脅かす / 活動不能にいたる, grade5:死亡			
「あり」の場合、有害事象の種類を選択しgradeを選択下さい。					
アレルギー / 免疫					
アレルギー反応	grade1	grade2	grade3	grade4	grade5
過敏症	grade1	grade2	grade3	grade4	grade5
アレルギー性鼻炎	grade1	grade2	grade3	grade4	grade5
自己免疫反応	grade1	grade2	grade3	grade4	grade5
血清病	grade1	grade2	grade3	grade4	grade5
血管炎	grade1	grade2	grade3	grade4	grade5
その他()					
聴覚器 / 聴力					
外耳道炎	grade1	grade2	grade3	grade4	grade5
内耳 - 聴力低下	grade1	grade2	grade3	grade4	grade5
中耳 - 聴力低下	grade1	grade2	grade3	grade4	grade5
その他()					
血液 / 骨髄					
骨髄細胞密度低下	grade1	grade2	grade3	grade4	grade5
CD4陽性細胞数減少	grade1	grade2	grade3	grade4	grade5
ハプトグロビン減少	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

Hb減少	grade1	grade2	grade3	grade4	grade5
溶血	grade1	grade2	grade3	grade4	grade5
白血球減少	grade1	grade2	grade3	grade4	grade5
好中球 / 顆粒球減少	grade1	grade2	grade3	grade4	grade5
血小板減少	grade1	grade2	grade3	grade4	grade5
その他()					
心血管系(不整脈)					
房室ブロック	grade1	grade2	grade3	grade4	grade5
不整脈 / リズム障害	grade1	grade2	grade3	grade4	grade5
心悸亢進	grade1	grade2	grade3	grade4	grade5
QT延長	grade1	grade2	grade3	grade4	grade5
洞性徐脈	grade1	grade2	grade3	grade4	grade5
洞性頻脈	grade1	grade2	grade3	grade4	grade5
上室性不整脈	grade1	grade2	grade3	grade4	grade5
心室性不整脈	grade1	grade2	grade3	grade4	grade5
その他()					
心血管系(一般)					
急性心血管漏出症候群	grade1	grade2	grade3	grade4	grade5
心筋虚血 / 梗塞	grade1	grade2	grade3	grade4	grade5
左心不全	grade1	grade2	grade3	grade4	grade5
浮腫	grade1	grade2	grade3	grade4	grade5
高血圧	grade1	grade2	grade3	grade4	grade5
低血圧	grade1	grade2	grade3	grade4	grade5
心筋炎	grade1	grade2	grade3	grade4	grade5
心膜炎	grade1	grade2	grade3	grade4	grade5
末梢動脈虚血	grade1	grade2	grade3	grade4	grade5
静脈炎	grade1	grade2	grade3	grade4	grade5
血栓症	grade1	grade2	grade3	grade4	grade5
その他()					
凝固					
播種性血管内凝固(DIC)	grade1	grade2	grade3	grade4	grade5
血栓性微小血管症(TTP, HUS)	grade1	grade2	grade3	grade4	grade5
Fibrinogen低下	grade1	grade2	grade3	grade4	grade5
PTT延長	grade1	grade2	grade3	grade4	grade5
その他()					
全身症状					
疲労	grade1	grade2	grade3	grade4	grade5
発熱	grade1	grade2	grade3	grade4	grade5
悪寒 / 戦慄	grade1	grade2	grade3	grade4	grade5
発汗	grade1	grade2	grade3	grade4	grade5
体重増加	grade1	grade2	grade3	grade4	grade5
体重減少	grade1	grade2	grade3	grade4	grade5
その他()					
皮膚科 / 皮膚					
脱毛	grade1	grade2	grade3	grade4	grade5
出血斑	grade1	grade2	grade3	grade4	grade5
皮膚紅斑	grade1	grade2	grade3	grade4	grade5
顔面紅潮	grade1	grade2	grade3	grade4	grade5
皮膚炎	grade1	grade2	grade3	grade4	grade5
注射部位の反応	grade1	grade2	grade3	grade4	grade5
爪の変化	grade1	grade2	grade3	grade4	grade5
光線過敏症	grade1	grade2	grade3	grade4	grade5
色素異常	grade1	grade2	grade3	grade4	grade5
痒症	grade1	grade2	grade3	grade4	grade5
放射線皮膚炎	grade1	grade2	grade3	grade4	grade5
発疹	grade1	grade2	grade3	grade4	grade5
蕁麻疹	grade1	grade2	grade3	grade4	grade5
創症 - 感染	grade1	grade2	grade3	grade4	grade5
創離開	grade1	grade2	grade3	grade4	grade5
その他()					
内分泌					
クッシング様外観	grade1	grade2	grade3	grade4	grade5
中心性の肥満	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

ほてり	grade1	grade2	grade3	grade4	grade5
男性の女性化(女性化乳房)	grade1	grade2	grade3	grade4	grade5
女性の男性化	grade1	grade2	grade3	grade4	grade5
甲状腺機能低下	grade1	grade2	grade3	grade4	grade5
SIADH	grade1	grade2	grade3	grade4	grade5
その他()					
消化器系					
食欲不振	grade1	grade2	grade3	grade4	grade5
腹水	grade1	grade2	grade3	grade4	grade5
口内炎	grade1	grade2	grade3	grade4	grade5
味覚障害	grade1	grade2	grade3	grade4	grade5
胸やけ	grade1	grade2	grade3	grade4	grade5
食道炎	grade1	grade2	grade3	grade4	grade5
嚥下困難	grade1	grade2	grade3	grade4	grade5
悪心	grade1	grade2	grade3	grade4	grade5
嘔吐	grade1	grade2	grade3	grade4	grade5
胃潰瘍	grade1	grade2	grade3	grade4	grade5
胃炎	grade1	grade2	grade3	grade4	grade5
十二指腸潰瘍	grade1	grade2	grade3	grade4	grade5
腸管瘻	grade1	grade2	grade3	grade4	grade5
下血	grade1	grade2	grade3	grade4	grade5
血便	grade1	grade2	grade3	grade4	grade5
粘膜炎	grade1	grade2	grade3	grade4	grade5
咽頭炎	grade1	grade2	grade3	grade4	grade5
膵炎	grade1	grade2	grade3	grade4	grade5
大腸炎	grade1	grade2	grade3	grade4	grade5
直腸炎	grade1	grade2	grade3	grade4	grade5
盲腸炎	grade1	grade2	grade3	grade4	grade5
便秘	grade1	grade2	grade3	grade4	grade5
下痢	grade1	grade2	grade3	grade4	grade5
その他()					
出血					
中枢神経系の出血	grade1	grade2	grade3	grade4	grade5
鼻出血	grade1	grade2	grade3	grade4	grade5
吐血	grade1	grade2	grade3	grade4	grade5
血尿	grade1	grade2	grade3	grade4	grade5
喀血	grade1	grade2	grade3	grade4	grade5
消化管出血	grade1	grade2	grade3	grade4	grade5
直腸出血	grade1	grade2	grade3	grade4	grade5
腔出血	grade1	grade2	grade3	grade4	grade5
その他()					
肝臓					
肝機能異常	grade1	grade2	grade3	grade4	grade5
肝腫大	grade1	grade2	grade3	grade4	grade5
低アルブミン血症	grade1	grade2	grade3	grade4	grade5
肝不全	grade1	grade2	grade3	grade4	grade5
その他()					
感染 / 発熱性好中球減少					
カテーテル感染	grade1	grade2	grade3	grade4	grade5
発熱性好中球減少	grade1	grade2	grade3	grade4	grade5
好中球減少を伴う感染	grade1	grade2	grade3	grade4	grade5
その他()					
リンパ管系					
リンパ浮腫	grade1	grade2	grade3	grade4	grade5
その他()					
代謝 / 検査					
アシドーシス	grade1	grade2	grade3	grade4	grade5
アルカローシス	grade1	grade2	grade3	grade4	grade5
高カルシウム血症	grade1	grade2	grade3	grade4	grade5
高コレステロール血症	grade1	grade2	grade3	grade4	grade5
高トリグリセリド血症	grade1	grade2	grade3	grade4	grade5
高血糖	grade1	grade2	grade3	grade4	grade5
低血糖	grade1	grade2	grade3	grade4	grade5
高アマラーゼ血症	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

高尿酸血症	grade1	grade2	grade3	grade4	grade5
高カリウム血症	grade1	grade2	grade3	grade4	grade5
高ナトリウム血症	grade1	grade2	grade3	grade4	grade5
高マグネシウム血症	grade1	grade2	grade3	grade4	grade5
低カルシウム血症	grade1	grade2	grade3	grade4	grade5
低カリウム血症	grade1	grade2	grade3	grade4	grade5
低ナトリウム血症	grade1	grade2	grade3	grade4	grade5
低マグネシウム血症	grade1	grade2	grade3	grade4	grade5
腫瘍融解症候群	grade1	grade2	grade3	grade4	grade5
その他()					
筋骨格系					
関節痛	grade1	grade2	grade3	grade4	grade5
関節炎	grade1	grade2	grade3	grade4	grade5
筋炎	grade1	grade2	grade3	grade4	grade5
筋肉痛	grade1	grade2	grade3	grade4	grade5
筋脱力	grade1	grade2	grade3	grade4	grade5
骨壊死	grade1	grade2	grade3	grade4	grade5
その他()					
神経学					
髄膜炎	grade1	grade2	grade3	grade4	grade5
神経根炎	grade1	grade2	grade3	grade4	grade5
運動失調	grade1	grade2	grade3	grade4	grade5
中枢神経系脳血管虚血	grade1	grade2	grade3	grade4	grade5
認知障害	grade1	grade2	grade3	grade4	grade5
意識低下	grade1	grade2	grade3	grade4	grade5
錯乱	grade1	grade2	grade3	grade4	grade5
妄想	grade1	grade2	grade3	grade4	grade5
めまい / ふらつき	grade1	grade2	grade3	grade4	grade5
失語症	grade1	grade2	grade3	grade4	grade5
錐体外路運動 / 附随意運動	grade1	grade2	grade3	grade4	grade5
幻覚	grade1	grade2	grade3	grade4	grade5
頭痛	grade1	grade2	grade3	grade4	grade5
不眠症	grade1	grade2	grade3	grade4	grade5
白質脳症	grade1	grade2	grade3	grade4	grade5
記憶障害	grade1	grade2	grade3	grade4	grade5
気分変動	grade1	grade2	grade3	grade4	grade5
神経障害 - 脳神経	grade1	grade2	grade3	grade4	grade5
神経障害 - 知覚	grade1	grade2	grade3	grade4	grade5
神経障害 - 運動	grade1	grade2	grade3	grade4	grade5
眼振	grade1	grade2	grade3	grade4	grade5
痙攣発作	grade1	grade2	grade3	grade4	grade5
錐体路障害	grade1	grade2	grade3	grade4	grade5
失神	grade1	grade2	grade3	grade4	grade5
振戦	grade1	grade2	grade3	grade4	grade5
その他()					
眼球 / 視覚					
白内障	grade1	grade2	grade3	grade4	grade5
結膜炎	grade1	grade2	grade3	grade4	grade5
緑内障	grade1	grade2	grade3	grade4	grade5
目の乾燥	grade1	grade2	grade3	grade4	grade5
角膜炎	grade1	grade2	grade3	grade4	grade5
なみだ目	grade1	grade2	grade3	grade4	grade5
かすみ目	grade1	grade2	grade3	grade4	grade5
復視	grade1	grade2	grade3	grade4	grade5
飛蚊症	grade1	grade2	grade3	grade4	grade5
夜盲症	grade1	grade2	grade3	grade4	grade5
羞明	grade1	grade2	grade3	grade4	grade5
その他()					
疼痛					
腹痛	grade1	grade2	grade3	grade4	grade5
関節痛	grade1	grade2	grade3	grade4	grade5
骨痛	grade1	grade2	grade3	grade4	grade5
胸痛	grade1	grade2	grade3	grade4	grade5
月経困難	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

性交痛	grade1	grade2	grade3	grade4	grade5
耳痛	grade1	grade2	grade3	grade4	grade5
頭痛	grade1	grade2	grade3	grade4	grade5
筋肉痛	grade1	grade2	grade3	grade4	grade5
肝臓痛	grade1	grade2	grade3	grade4	grade5
神経痛	grade1	grade2	grade3	grade4	grade5
放射線による痛み	grade1	grade2	grade3	grade4	grade5
骨盤痛	grade1	grade2	grade3	grade4	grade5
胸膜炎痛	grade1	grade2	grade3	grade4	grade5
直腸痛	grade1	grade2	grade3	grade4	grade5
腫瘍痛	grade1	grade2	grade3	grade4	grade5
その他()					
肺					
成人呼吸促迫症候群	grade1	grade2	grade3	grade4	grade5
無呼吸	grade1	grade2	grade3	grade4	grade5
咳	grade1	grade2	grade3	grade4	grade5
呼吸困難 / 息切れ	grade1	grade2	grade3	grade4	grade5
しゃっくり	grade1	grade2	grade3	grade4	grade5
低酸素血症	grade1	grade2	grade3	grade4	grade5
胸水	grade1	grade2	grade3	grade4	grade5
気胸	grade1	grade2	grade3	grade4	grade5
肺線維症	grade1	grade2	grade3	grade4	grade5
嚔声	grade1	grade2	grade3	grade4	grade5
その他()					
腎 / 泌尿生殖器					
膀胱痙攣	grade1	grade2	grade3	grade4	grade5
排尿痛	grade1	grade2	grade3	grade4	grade5
生殖器尿瘻	grade1	grade2	grade3	grade4	grade5
ヘモグロビン尿症	grade1	grade2	grade3	grade4	grade5
失禁	grade1	grade2	grade3	grade4	grade5
蛋白尿	grade1	grade2	grade3	grade4	grade5
腎機能低下	grade1	grade2	grade3	grade4	grade5
腎不全	grade1	grade2	grade3	grade4	grade5
尿管閉塞	grade1	grade2	grade3	grade4	grade5
頻尿	grade1	grade2	grade3	grade4	grade5
残尿	grade1	grade2	grade3	grade4	grade5
その他()					
二次性悪性腫瘍					
転移以外の悪性腫瘍	grade1	grade2	grade3	grade4	grade5
その他()					
性 / 生殖機能					
勃起障害	grade1	grade2	grade3	grade4	grade5
不妊症	grade1	grade2	grade3	grade4	grade5
月経不順	grade1	grade2	grade3	grade4	grade5
性欲低下	grade1	grade2	grade3	grade4	grade5
その他()					
症候群					
腫瘍フレア	grade1	grade2	grade3	grade4	grade5
腫瘍融解症候群	grade1	grade2	grade3	grade4	grade5
尿中電解質喪失症候群	grade1	grade2	grade3	grade4	grade5
その他()					
その他()					

(悪性腫瘍) 臨床情報入力シート

(注意) : 複数選択 : 単一選択
 * 複数治療がある場合は、別シートをご利用下さい。

その他の療法 なし あり 不明

「あり」の場合、

治療開始日 ()年 ()月 ()日(頃)

使用薬剤 ()

放射線治療 ()

免疫療法 ()

治療方法の種類

塞栓術単独(化学療法なし)

エタノール注入療法

ラジオ波焼灼術

マイクロ波焼灼術

薬物療法 使用薬剤()

その他 ()

効果

RECISTによる判定可能(画像) なし あり 不明

「あり」の場合、

測定可能標的病変 完全奏功(CR): 完全消失
 部分奏功(PR): 30%以上減少
 安定(SD)
 進行(PD): 20%以上増加
 不明

非標的病変 完全奏功(CR): すべての非標的病変の消失かつ腫瘍
 マーカの正常化
 不完全奏功(IR)もしくは安定(SD): CR/PD以外
 進行(PD): 増悪
 不明

新病変出現 あり
 なし
 不明

組織学的判定可能(病理) なし あり 不明

部位

肺

- Ef0(無効) 癌細胞、癌組織に治療による変性、壊死等の形態学的変化を認めない場合
- Ef1a(ごく軽度) 癌の約2/3以上が生存しうると判断される癌細胞で占められている場合
- Ef1b(軽度) 癌の約1/3以上、2/3未満に生存しうると判断される癌細胞で認められている場合
- Ef2(中等度) 癌の約1/3未満に生存しうると判断される癌細胞が残存している場合
- Ef3(著功) 癌細胞が全く認められないか、残存していても生存しえないと判断される場合

食道, 大腸・直腸, 乳房

- Grade 0 癌細胞・癌組織に治療効果を認めない
- Grade 1a 癌の約2/3以上が生存しうると判断される癌細胞で占められている場合
- Grade 1b 癌の約1/3以上、2/3未満に生存しうると判断される癌細胞で認められている場合
- Grade 2 癌の約1/3未満に生存しうると判断される癌細胞が残存している場合
- Grade 3 癌細胞が全く認められないか、残存していても生存しえないと判断される場合

子宮頸部, 子宮体部, 卵巣

(悪性腫瘍) 臨床情報入力シート

- Grade 0 無効:治療による変性、壊死などの障害をほとんど認めない場合
- Grade 1a ごく軽度の効果:がんの約1/3未満にがん細胞の変性、壊死などを認める場合
- Grade 1b 軽度の効果:がんの約1/3以上2/3未満にがん細胞の変性、壊死などを認める場合
- Grade 2 かなりの効果:がんの約2/3以上に著明な変性、壊死ならびに融解、消失などを認める場合
- Grade 3 著効:がん全体が壊死に陥っているか、または融解、消失した場合

肝臓, 前立腺

- Grade 0 viableな癌細胞群が組織断片で病巣面積の全体を占める
- Grade 1 non-viableな癌細胞群が組織断片で病巣面積の全体の1/2未満
- Grade 2 non-viableな癌細胞群が組織断片で病巣面積の全体を1/2以上
- Grade 3 non-viableな癌細胞群のみを認める、癌細胞が認められない
- Grade X artifactなどにより判定が不能

(前立腺のみ)腫瘍マーカー(PSA)による評価 なし あり 不明
「あり」の場合、

- CR 異常前値が基準値に復した場合
- PR 異常前値が50%以上改善するが、基準値にまでは復さなかった場合
- NC 異常前値が50%未満の改善か、25%未満の増悪を呈した場合
- PD 異常前値が25%以上増加するか、異常前値が異常値になった場合

(造血器のみ)CT,Gaシンチ及びPET等による判定(画像) なし あり 不明
「あり」の場合、

- 測定可能標的病変 完全奏功(CR):完全消失
部分奏功(PR):30%以上減少
安定(SD)
進行(PD):20%以上増加
不明
- 非標的病変 完全奏功(CR):すべての非標的病変の消失かつ腫瘍マーカーの正常化
不完全奏功(IR)もしくは安定(SD):CR/PD以外
進行(PD):増悪
不明
- 新病変出現 あり
なし
不明

(造血器のみ)腫瘍マーカー(血清IL2R, M蛋白等)による評価 なし あり 不明
「あり」の場合、

- CR 異常前値が基準値に復した場合
- PR 異常前値が50%以上改善するが、基準値にまでは復さなかった場合
- NC 異常前値が50%未満の改善か、25%未満の増悪を呈した場合
- PD 異常前値が25%以上増加するか、異常前値が異常値になった場合

判定不能 なし あり

副作用の有無 なし あり 不明

注) (NCI-CTC ver.2.0準拠)

- grade1:軽症 / 軽度, grade2:中等症 / 中等度, grade3:重症 / 高度
- grade4:生命を脅かす / 活動不能にいたる, grade5:死亡

「あり」の場合、有害事象の種類を選択しgradeを選択下さい。

アレルギー / 免疫

アレルギー反応	grade1	grade2	grade3	grade4	grade5
過敏症	grade1	grade2	grade3	grade4	grade5
アレルギー性鼻炎	grade1	grade2	grade3	grade4	grade5
自己免疫反応	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

血清病	grade1	grade2	grade3	grade4	grade5
血管炎	grade1	grade2	grade3	grade4	grade5
その他()					
聴覚器 / 聴力					
外耳道炎	grade1	grade2	grade3	grade4	grade5
内耳 - 聴力低下	grade1	grade2	grade3	grade4	grade5
中耳 - 聴力低下	grade1	grade2	grade3	grade4	grade5
その他()					
血液 / 骨髄					
骨髄細胞密度低下	grade1	grade2	grade3	grade4	grade5
CD4陽性細胞数減少	grade1	grade2	grade3	grade4	grade5
ハプトグロビン減少	grade1	grade2	grade3	grade4	grade5
Hb減少	grade1	grade2	grade3	grade4	grade5
溶血	grade1	grade2	grade3	grade4	grade5
白血球減少	grade1	grade2	grade3	grade4	grade5
好中球 / 顆粒球減少	grade1	grade2	grade3	grade4	grade5
血小板減少	grade1	grade2	grade3	grade4	grade5
その他()					
心血管系 (不整脈)					
房室ブロック	grade1	grade2	grade3	grade4	grade5
不整脈 / リズム障害	grade1	grade2	grade3	grade4	grade5
心悸亢進	grade1	grade2	grade3	grade4	grade5
QT延長	grade1	grade2	grade3	grade4	grade5
洞性徐脈	grade1	grade2	grade3	grade4	grade5
洞性頻脈	grade1	grade2	grade3	grade4	grade5
上室性不整脈	grade1	grade2	grade3	grade4	grade5
心室性不整脈	grade1	grade2	grade3	grade4	grade5
その他()					
心血管系 (一般)					
急性心血管漏出症候群	grade1	grade2	grade3	grade4	grade5
心筋虚血 / 梗塞	grade1	grade2	grade3	grade4	grade5
左心不全	grade1	grade2	grade3	grade4	grade5
浮腫	grade1	grade2	grade3	grade4	grade5
高血圧	grade1	grade2	grade3	grade4	grade5
低血圧	grade1	grade2	grade3	grade4	grade5
心筋炎	grade1	grade2	grade3	grade4	grade5
心膜炎	grade1	grade2	grade3	grade4	grade5
末梢動脈虚血	grade1	grade2	grade3	grade4	grade5
静脈炎	grade1	grade2	grade3	grade4	grade5
血栓症	grade1	grade2	grade3	grade4	grade5
その他()					
凝固					
播種性血管内凝固(DIC)	grade1	grade2	grade3	grade4	grade5
血栓性微小血管症(TTP, HUS)	grade1	grade2	grade3	grade4	grade5
Fibrinogen低下	grade1	grade2	grade3	grade4	grade5
PTT延長	grade1	grade2	grade3	grade4	grade5
その他()					
全身症状					
疲労	grade1	grade2	grade3	grade4	grade5
発熱	grade1	grade2	grade3	grade4	grade5
悪寒 / 戦慄	grade1	grade2	grade3	grade4	grade5
発汗	grade1	grade2	grade3	grade4	grade5
体重増加	grade1	grade2	grade3	grade4	grade5
体重減少	grade1	grade2	grade3	grade4	grade5
その他()					
皮膚科 / 皮膚					
脱毛	grade1	grade2	grade3	grade4	grade5
出血斑	grade1	grade2	grade3	grade4	grade5
皮膚紅斑	grade1	grade2	grade3	grade4	grade5
顔面紅潮	grade1	grade2	grade3	grade4	grade5
皮膚炎	grade1	grade2	grade3	grade4	grade5
注射部位の反応	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

爪の変化	grade1	grade2	grade3	grade4	grade5
光線過敏症	grade1	grade2	grade3	grade4	grade5
色素異常	grade1	grade2	grade3	grade4	grade5
痒症	grade1	grade2	grade3	grade4	grade5
放射線皮膚炎	grade1	grade2	grade3	grade4	grade5
発疹	grade1	grade2	grade3	grade4	grade5
蕁麻疹	grade1	grade2	grade3	grade4	grade5
創症 - 感染	grade1	grade2	grade3	grade4	grade5
創離開	grade1	grade2	grade3	grade4	grade5
その他()					
内分泌					
クッシング様外観	grade1	grade2	grade3	grade4	grade5
中心性の肥満	grade1	grade2	grade3	grade4	grade5
ほてり	grade1	grade2	grade3	grade4	grade5
男性の女性化(女性化乳房)	grade1	grade2	grade3	grade4	grade5
女性の男性化	grade1	grade2	grade3	grade4	grade5
甲状腺機能低下	grade1	grade2	grade3	grade4	grade5
SIADH	grade1	grade2	grade3	grade4	grade5
その他()					
消化器系					
食欲不振	grade1	grade2	grade3	grade4	grade5
腹水	grade1	grade2	grade3	grade4	grade5
口内炎	grade1	grade2	grade3	grade4	grade5
味覚障害	grade1	grade2	grade3	grade4	grade5
胸やけ	grade1	grade2	grade3	grade4	grade5
食道炎	grade1	grade2	grade3	grade4	grade5
嚥下困難	grade1	grade2	grade3	grade4	grade5
悪心	grade1	grade2	grade3	grade4	grade5
嘔吐	grade1	grade2	grade3	grade4	grade5
胃潰瘍	grade1	grade2	grade3	grade4	grade5
胃炎	grade1	grade2	grade3	grade4	grade5
十二指腸潰瘍	grade1	grade2	grade3	grade4	grade5
腸管瘻	grade1	grade2	grade3	grade4	grade5
下血	grade1	grade2	grade3	grade4	grade5
血便	grade1	grade2	grade3	grade4	grade5
粘膜炎	grade1	grade2	grade3	grade4	grade5
咽頭炎	grade1	grade2	grade3	grade4	grade5
膵炎	grade1	grade2	grade3	grade4	grade5
大腸炎	grade1	grade2	grade3	grade4	grade5
直腸炎	grade1	grade2	grade3	grade4	grade5
盲腸炎	grade1	grade2	grade3	grade4	grade5
便秘	grade1	grade2	grade3	grade4	grade5
下痢	grade1	grade2	grade3	grade4	grade5
その他()					
出血					
中枢神経系の出血	grade1	grade2	grade3	grade4	grade5
鼻出血	grade1	grade2	grade3	grade4	grade5
吐血	grade1	grade2	grade3	grade4	grade5
血尿	grade1	grade2	grade3	grade4	grade5
喀血	grade1	grade2	grade3	grade4	grade5
消化管出血	grade1	grade2	grade3	grade4	grade5
直腸出血	grade1	grade2	grade3	grade4	grade5
腔出血	grade1	grade2	grade3	grade4	grade5
その他()					
肝臓					
肝機能異常	grade1	grade2	grade3	grade4	grade5
肝腫大	grade1	grade2	grade3	grade4	grade5
低アルブミン血症	grade1	grade2	grade3	grade4	grade5
肝不全	grade1	grade2	grade3	grade4	grade5
その他()					
感染 / 発熱性好中球減少					
カテーテル感染	grade1	grade2	grade3	grade4	grade5
発熱性好中球減少	grade1	grade2	grade3	grade4	grade5
好中球減少を伴う感染	grade1	grade2	grade3	grade4	grade5
その他()					

(悪性腫瘍) 臨床情報入力シート

リンパ管系					
リンパ浮腫	grade1	grade2	grade3	grade4	grade5
その他()					
代謝 / 検査					
アシドーシス	grade1	grade2	grade3	grade4	grade5
アルカローシス	grade1	grade2	grade3	grade4	grade5
高カルシウム血症	grade1	grade2	grade3	grade4	grade5
高コレステロール血症	grade1	grade2	grade3	grade4	grade5
高トリグリセリド血症	grade1	grade2	grade3	grade4	grade5
高血糖	grade1	grade2	grade3	grade4	grade5
低血糖	grade1	grade2	grade3	grade4	grade5
高アマラーゼ血症	grade1	grade2	grade3	grade4	grade5
高尿酸血症	grade1	grade2	grade3	grade4	grade5
高カリウム血症	grade1	grade2	grade3	grade4	grade5
高ナトリウム血症	grade1	grade2	grade3	grade4	grade5
高マグネシウム血症	grade1	grade2	grade3	grade4	grade5
低カルシウム血症	grade1	grade2	grade3	grade4	grade5
低カリウム血症	grade1	grade2	grade3	grade4	grade5
低ナトリウム血症	grade1	grade2	grade3	grade4	grade5
低マグネシウム血症	grade1	grade2	grade3	grade4	grade5
腫瘍融解症候群	grade1	grade2	grade3	grade4	grade5
その他()					
筋骨格系					
関節痛	grade1	grade2	grade3	grade4	grade5
関節炎	grade1	grade2	grade3	grade4	grade5
筋炎	grade1	grade2	grade3	grade4	grade5
筋肉痛	grade1	grade2	grade3	grade4	grade5
筋脱力	grade1	grade2	grade3	grade4	grade5
骨壊死	grade1	grade2	grade3	grade4	grade5
その他()					
神経学					
髄膜炎	grade1	grade2	grade3	grade4	grade5
神経根炎	grade1	grade2	grade3	grade4	grade5
運動失調	grade1	grade2	grade3	grade4	grade5
中枢神経系脳血管虚血	grade1	grade2	grade3	grade4	grade5
認知障害	grade1	grade2	grade3	grade4	grade5
意識低下	grade1	grade2	grade3	grade4	grade5
錯乱	grade1	grade2	grade3	grade4	grade5
妄想	grade1	grade2	grade3	grade4	grade5
めまい / ふうつき	grade1	grade2	grade3	grade4	grade5
失語症	grade1	grade2	grade3	grade4	grade5
錐体外路運動 / 附随意運動	grade1	grade2	grade3	grade4	grade5
幻覚	grade1	grade2	grade3	grade4	grade5
頭痛	grade1	grade2	grade3	grade4	grade5
不眠症	grade1	grade2	grade3	grade4	grade5
白質脳症	grade1	grade2	grade3	grade4	grade5
記憶障害	grade1	grade2	grade3	grade4	grade5
気分変動	grade1	grade2	grade3	grade4	grade5
神経障害 - 脳神経	grade1	grade2	grade3	grade4	grade5
神経障害 - 知覚	grade1	grade2	grade3	grade4	grade5
神経障害 - 運動	grade1	grade2	grade3	grade4	grade5
眼振	grade1	grade2	grade3	grade4	grade5
痙攣発作	grade1	grade2	grade3	grade4	grade5
錐体路障害	grade1	grade2	grade3	grade4	grade5
失神	grade1	grade2	grade3	grade4	grade5
振戦	grade1	grade2	grade3	grade4	grade5
その他()					
眼球 / 視覚					
白内障	grade1	grade2	grade3	grade4	grade5
結膜炎	grade1	grade2	grade3	grade4	grade5
緑内障	grade1	grade2	grade3	grade4	grade5
目の乾燥	grade1	grade2	grade3	grade4	grade5
角膜炎	grade1	grade2	grade3	grade4	grade5
なみだ目	grade1	grade2	grade3	grade4	grade5
かすみ目	grade1	grade2	grade3	grade4	grade5

(悪性腫瘍) 臨床情報入力シート

復視	grade1	grade2	grade3	grade4	grade5
飛蚊症	grade1	grade2	grade3	grade4	grade5
夜盲症	grade1	grade2	grade3	grade4	grade5
羞明	grade1	grade2	grade3	grade4	grade5
その他()					
疼痛					
腹痛	grade1	grade2	grade3	grade4	grade5
関節痛	grade1	grade2	grade3	grade4	grade5
骨痛	grade1	grade2	grade3	grade4	grade5
胸痛	grade1	grade2	grade3	grade4	grade5
月経困難	grade1	grade2	grade3	grade4	grade5
性交痛	grade1	grade2	grade3	grade4	grade5
耳痛	grade1	grade2	grade3	grade4	grade5
頭痛	grade1	grade2	grade3	grade4	grade5
筋肉痛	grade1	grade2	grade3	grade4	grade5
肝臓痛	grade1	grade2	grade3	grade4	grade5
神経痛	grade1	grade2	grade3	grade4	grade5
放射線による痛み	grade1	grade2	grade3	grade4	grade5
骨盤痛	grade1	grade2	grade3	grade4	grade5
胸膜炎痛	grade1	grade2	grade3	grade4	grade5
直腸痛	grade1	grade2	grade3	grade4	grade5
腫瘍痛	grade1	grade2	grade3	grade4	grade5
その他()					
肺					
成人呼吸促迫症候群	grade1	grade2	grade3	grade4	grade5
無呼吸	grade1	grade2	grade3	grade4	grade5
咳	grade1	grade2	grade3	grade4	grade5
呼吸困難 / 息切れ	grade1	grade2	grade3	grade4	grade5
しゃっくり	grade1	grade2	grade3	grade4	grade5
低酸素血症	grade1	grade2	grade3	grade4	grade5
胸水	grade1	grade2	grade3	grade4	grade5
気胸	grade1	grade2	grade3	grade4	grade5
肺線維症	grade1	grade2	grade3	grade4	grade5
嚕声	grade1	grade2	grade3	grade4	grade5
その他()					
腎 / 泌尿生殖器					
膀胱痙攣	grade1	grade2	grade3	grade4	grade5
排尿痛	grade1	grade2	grade3	grade4	grade5
生殖器尿瘻	grade1	grade2	grade3	grade4	grade5
ヘモグロビン尿症	grade1	grade2	grade3	grade4	grade5
失禁	grade1	grade2	grade3	grade4	grade5
蛋白尿	grade1	grade2	grade3	grade4	grade5
腎機能低下	grade1	grade2	grade3	grade4	grade5
腎不全	grade1	grade2	grade3	grade4	grade5
尿管閉塞	grade1	grade2	grade3	grade4	grade5
頻尿	grade1	grade2	grade3	grade4	grade5
残尿	grade1	grade2	grade3	grade4	grade5
その他()					
二次性悪性腫瘍					
転移以外の悪性腫瘍	grade1	grade2	grade3	grade4	grade5
その他()					
性 / 生殖機能					
勃起障害	grade1	grade2	grade3	grade4	grade5
不妊症	grade1	grade2	grade3	grade4	grade5
月経不順	grade1	grade2	grade3	grade4	grade5
性欲低下	grade1	grade2	grade3	grade4	grade5
その他()					
症候群					
腫瘍フレア	grade1	grade2	grade3	grade4	grade5
腫瘍融解症候群	grade1	grade2	grade3	grade4	grade5
尿中電解質喪失症候群	grade1	grade2	grade3	grade4	grade5
その他()					
その他()					

(悪性腫瘍) 臨床情報入力シート

(注意) : 複数選択 : 単一選択

検査日 ()年()月()日(頃) 不明

腫瘍マーカー

CEA	()	ng/ml	未実施
SLX	()	U/ml	未実施
SCC	()	ng/ml	未実施
CYFRA21-1	()	ng/ml	未実施
NSE	()	ng/ml	未実施
ProGRP	()	pg/ml	未実施
CA15-3	()	U/ml	未実施
CA19-9	()	U/ml	未実施
CA50	()	U/ml	未実施
CA72-4	()	U/ml	未実施
CA125	()	U/ml	未実施
AFP	()	ng/ml	未実施
HCG	()	ng/ml	未実施
	()	mlU/ml	未実施
HCG-	()	ng/ml	未実施
PIVKaII	()	mAU/ml	未実施
Span-1	()	U/ml	未実施
DUPAN-II	()	U/ml	未実施
PAP	()	ng/ml	未実施
NCC-ST-439	()	U/ml	未実施
PSA	()	ng/ml	未実施
血中ホルモン定量	テストステロン値 ()	ng/dl	未実施
血清IL2レセプター (sIL2R)	()	U/ml	未実施
M蛋白	種類 () ()	mg/dl	未実施